

15. 11. 3. *Library*

THE INSECT PEST SURVEY
BULLETIN

Volume 16

1936

Index

BUREAU OF
ENTOMOLOGY AND PLANT QUARANTINE
UNITED STATES
DEPARTMENT OF AGRICULTURE
AND
THE STATE ENTOMOLOGICAL
AGENCIES COOPERATING

LIBRARY
STATE PLANT BOARD

I N S E C T P E S T S U R V E Y B U L L E T I N

Vol. 16	1936	Index
	<u>No.</u>	<u>Page</u>
Ballou, C. H.: "Insect notes from Costa Rica in 1935"--9 (Sup.)		437-497
Beck, E. W., and Bradley, W. G.: "Colonization of parasites of the European corn borer in United States in 1936"-----9 (Sup.)		499-505
Bradley, W. G., and Beck, E. W.: "Colonization of parasites of the European corn borer in the United States in 1936"-----9 (Sup.)		499-505
"Chinch bug abundance in hibernation quarters, November -December 1935", article by C. M. Packard-----1 (Sup.)		25
Collaborators, Insect Pest Survey, list-----1		1-4
"Costa Rica, insect notes from in 1935", article by C. H. Ballou-----9 (Sup.)		437-497
"European corn borer, parasites of, colonization in the United States in 1936", article by W. G. Bradley and E. W. Beck-----9 (Sup.)		499-505
"European corn borer, report on status of in 1936", article by A. M. Vance-----9 (Sup.)		429-436
"European corn borer surveys, results in thirteen selected counties, 1935", article by L. H. Worthley---4 (Sup.)		149-156
"Grasshoppers, species and distribution in the 1936 outbreak", article by R. L. Shotwell-----5 (Sup.)		213-259
"Hessian fly infestation at harvest time in 1936", article by C. M. Packard-----6 (Sup.)		309-311
"Insect notes from Costa Rica in 1935", article by C. H. Ballou-----9 (Sup.)		437-497
Insect Pest Survey, reporters, list-----1		1-4

	<u>No.</u>	<u>Page</u>
Packard, C. M.: "Chinch bug abundance in hibernation quarters, November-December 1935"-----	1 (Sup.)	25
"Hessian fly infestation at harvest time in 1936"-----	6 (Sup.)	309-311
Reporters for Insect Pest Survey, list-----	1	1-4
Shotwell, R. L.: "The species and distribution of grasshoppers in the 1936 outbreak"-----	5 (Sup.)	213-259
Vance, A. M.: "Report on status of European corn borer in 1936"-----	9 (Sup.)	429-436
Worthley, L. H.: "Results of European corn borer surveys in thirteen selected counties, 1935"-----	4 (Sup.)	149-156

(Common names listed separately at the end)

	<u>No.</u>	<u>Page</u>
Acanalonia virescens (Stal) -----	9 (Sup.)	471
Acenthocephala bicoloripes (Stal) -----	9 (Sup.)	479
Acenthocephala declivis guatemalena Dist.	9 (Sup.)	479
Acenthoderes circumflexus Duv. -----	9 (Sup.)	439
Aceratagallia sordida Oman -----	9 (Sup.)	456
Achatodes zeae Harr. -----	7	348
Aconophora nitida Fowl. -----	9 (Sup.)	474
Aconophora pallescens Stal -----	9 (Sup.)	474
Acraga coa Schaus -----	9 (Sup.)	491
Acrididae -----	3	59
	4	95, 98-99
	5	157, 159, 161
	5 (Sup.)	213-259
	6	261, 263-266
	7	313, 314, 317-318
	8	355, 356
	9	393, 394, 396-397
	10	510, 511-513
Acrobasis caryae Grote -----	3	73-74
	4	96, 120
	6	281
	8	366
Acrobasis juglandis LeB. -----	3	74
	4	103, 120
	8	366
Acroleucus brevicollis (Stal) -----	9 (Sup.)	480
Acrolophitus hirtipes Say -----	5 (Sup.)	219
Acrosternum hilaris Say -----	4	126
Acrosternum marginatum (Beauv.) -----	9 (Sup.)	480
Acutalis fusconervosa Fairm. -----	9 (Sup.)	474
Adelphocoris rapidus (Say) -----	10	522
Admontia degeeriodes Coq. -----	10	536
Aedes aegypti L. -----	6	306
	9	422
	10	534
Aedes aldrichi Dyar & Knab -----	5	210
	9	423
	10	534
Aedes cantator Coq. -----	3	89
	4	144
	10	533
Aedes sollicitans Walk. -----	8	387
	10	533
Aedes spp. -----	9	422
Aedes vexans Meig. -----	5	210
	9	423
	10	533, 534
Aegeria exitiosa Say. <u>See</u> Conopia		
exitiosa (Say).		
Aegeria mellinipennis Bdv. -----	3	86

<i>Aegeria pictipes</i> G. & R. -----	2	38
<i>Aeoloplus turnbullii</i> Thos. -----	5 (Sup.)	219, 221, 228, 231, 235, 237, 241, 245, 247, 249, 255
<i>Aeolothrips duvali</i> Moul. -----	10	523
<i>Aeolus dorsalis</i> Say -----	6	268
<i>Aeolus livens</i> Lec. -----	6	268
<i>Aerochoreutes carlinianus</i> Thos. -----	5 (Sup.)	231
<i>Aethalion reticulatum</i> (L.) -----	9 (Sup.)	474
<i>Agallia ingens</i> Oman -----	9 (Sup.)	456
<i>Agallia lingula</i> Van D. -----	9 (Sup.)	456
<i>Agallia modesto</i> O. & B. -----	9 (Sup.)	456
<i>Agallia novella tropicalis</i> Van D. -----	9 (Sup.)	456
<i>Agallia repleta</i> Van D. -----	9 (Sup.)	457
<i>Agellus bisinuatus</i> DeLong -----	9 (Sup.)	457
<i>Ageneotettix deorum</i> Scudd. -----	5 (Sup.)	219-259
<i>Agonoderus pallipes</i> F. -----	3	64
<i>Agrilus anxius</i> Gory -----	2	47
<i>Agrilus bilineatus</i> Web. -----	8	382
<i>Agrilus communis rubicola</i> Perrin -----	7	350
<i>Agrilus difficilis</i> Gory -----	3	86
	7	345
<i>Agrilus ruficollis</i> F. -----	9	422
<i>Agromyza simplex</i> Loew -----	5	193
<i>Agrotis c-nigrum</i> L. -----	4	99
<i>Agrotis ypsilon</i> Rott. -----	2	29
	4	100
	5	164, 165
<i>Alabama argillacea</i> Hbn. -----	4	97, 134
	5	197
	6	262, 294
	7	314, 339-341
	8	355, 364-365, 377, 378-380
	9	393, 413
	10	521-522
<i>Alchisme grossa</i> (Fairm.) -----	9 (Sup.)	475
<i>Aleurocanthus woglumi</i> Ashby -----	9 (Sup.)	454
<i>Aleuroplatus oculireniformis</i> Quaint. & Baker -----	9 (Sup.)	454
<i>Aleurothrixus howardi</i> (Quaint.) -----	9 (Sup.)	454
<i>Aligia modesta</i> O. & B. -----	9 (Sup.)	456
<i>Allochroma sexmaculatum</i> Clark -----	9 (Sup.)	439
<i>Allocoris elegans</i> McA. & M. -----	9 (Sup.)	480
<i>Alobates pennsylvanica</i> Deg. -----	9	426
<i>Alphitobius piceus</i> Oliv. -----	9	426
<i>Alsophila pometaria</i> Harr. -----	2	28, 46
	3	84
	4	135
	5	199, 200
	6	297
<i>Altica ambiens alni</i> Harr. -----	8	385-386
	10	536
<i>Altica amethystina</i> Oliv. -----	9 (Sup.)	439

<i>Altica bimarginata</i> Say -----	7	314, 348
	10	536
<i>Anastris obtegens</i> (F.) -----	9 (Sup.)	475
<i>Amblyomma americanum</i> L. -----	3	90
<i>Amblyomma maculatum</i> Koch -----	5	211
	7	354
<i>Amphibolips racemaria</i> Ashm. -----	8	383
<i>Amphitornus bicolor</i> Thos. -----	5 (Sup.)	219, 231,
		241, 245, 255
<i>Amphitornus coloradus</i> (Thos.) -----	5 (Sup.)	233, 247
<i>Anabrus simplex</i> Hald. -----	3	57, 59
	4	95, 99
	5	164
	6	266-267
	7	313, 318-319
	8	357
	10	516
<i>Anacentrinus subnudus</i> Buchanan -----	1	8
<i>Anaphes anomocerus</i> Girault -----	10	536
<i>Anaphes iole</i> Girault -----	10	536
<i>Anarsia lineatella</i> Zell. -----	3	71
	4	118
	7	328
	8	365
<i>Anasa andresii</i> (Guer.) -----	9 (Sup.)	480
<i>Anasa bellator</i> (F.) -----	9 (Sup.)	480
<i>Anasa madida</i> Dist. -----	9 (Sup.)	480
<i>Anasa scorbutica</i> (F.) -----	9 (Sup.)	480
<i>Anasa tristis</i> Deg. -----	3	82
	4	131
	5	192
	6	262, 290-291
	7	334
	8	373-374
	9	411
<i>Anastrepha fraterculus</i> auct. -----	1	11
<i>Anastrepha ludens</i> Loew -----	1	11
	3	75
	10	520
<i>Anastrepha pallens</i> Coq. -----	1	11
	3	75
<i>Anastrepha serpentina</i> Wied. -----	1	11
	9 (Sup.)	452
<i>Anastrepha</i> sp. "Y" -----	1	11
	3	75
<i>Ancyliis comptana</i> Froel. -----	4	132
	5	158, 194
	6	292
	9	411-412
<i>Andricus punctatus</i> Bass. -----	4	139
<i>Anisota rubicunda</i> F. -----	6	298
<i>Anomala orientalis</i> Wtrh. -----	4	103
	9	419
	10	530

Anopheles maculipennis Meig. -----	7	351
	10	534
Anopheles punctipennis Say -----	7	351
Anthicus asphaltinus Champ. -----	9 (Sup.)	438
Anthidium sp. -----	4	118
Anthonomus eugenii Cano -----	1	17
	4	132
	6	292
	7	335
Anthonomus grandis Boh. -----	1	5,17-18
	2	28,45
	3	83
	4	97,133-134
	5	196-197
	6	262,293-294
	7	313,336-337
	8	355,376-377
	9	413-414
	10	510,520-521
Anthonomus grandis thurberiae Pierce -----	9	414
Anthonomus signatus Say -----	4	131-132
	5	160
Anthrenus scrophulariae L. -----	8	390-391
	9	425
Anthrenus verbasci L. -----	8	390
	9	425-426
Anthrenus vorax Wtrh. -----	8	390
Antianthe expansa (Germ.) -----	9 (Sup.)	475
Anticarsia gemmatilis Hbn. -----	8	358
	9	397,400
Amuraphis maidi-radicis Forbes -----	4	134
	6	295
Amuraphis roseus Baker -----	1	5,9
	2	27,33
	3	66-67
	4	113-114
	5	160,178
	7	315
Anychus clarkii McG. -----	9	405
Anypotactus exilis Boh. -----	9 (Sup.)	449
Apanteles sp. -----	9 (Sup.)	502
Apanteles thompsoni Lyle -----	9 (Sup.)	502
Apantesis sp. -----	5	165
Aphelinus mali Hald. -----	3	67
Aphiidae -----	2	33,53
	3	57,65,82,88
	4	96
	5	178,197
	6	262,295
	9	415
Aphis forbesi Weed -----	1	17
	9	412
Aphis gossypii Glov. -----	3	84
	4	134

<i>Aphis gossypii</i> Glov. (Cont'd) -----	5	197
	6	290, 295
	7	334
	8	373
	9	410-411, 415
<i>Aphis maidis</i> Fitch -----	6	275
	7	324
<i>Aphis medicaginis</i> Koch -----	4	134
<i>Aphis nerii</i> Boyer -----	9 (Sup.)	454
<i>Aphis pomi</i> Deg. -----	2	27, 33
	3	66-67
	4	113-114
	5	160, 178
	7	315, 327
<i>Aphis rumicis</i> L. -----	4	128
	5	196
	9	422
<i>Aphis sambucifoliae</i> Fitch -----	4	142
<i>Aphis spiraecola</i> Patch -----	1	11
	2	39
	3	75
	4	143
	10	510
<i>Aphomia gularis</i> Zell. -----	3	93
<i>Approtopos melantho</i> (Bates) -----	9 (Sup.)	491
<i>Argyresthia thuiella</i> Pack. -----	5	208
	7	348
<i>Argyrotaenia velutinana</i> Walk. -----	6	304
<i>Arphia pseudonietana</i> Thos. -----	5 (Sup.)	219, 225, 226, 228, 231, 239, 241, 245, 249, 255
<i>Ascia protodice</i> Bdv. & Lec. -----	8	372
	9	409
<i>Ascia rapae</i> L. -----	1	15
	2	43
	3	80-81
	4	129-130
	5	158, 189, 190
	6	289
	7	332
	8	371-372
	9	395, 409
<i>Asphaera nobilitata</i> (F.) -----	9 (Sup.)	439
<i>Aspidiotus ancylus</i> Putn. -----	2	52
<i>Aspidiotus coniferarum</i> Ckll. -----	5	208
<i>Aspidiotus hederæ</i> Vallot -----	9	421
<i>Aspidiotus perniciosus</i> Comst. -----	1	9
	2	27, 34-35
	3	67
	4	114-115
	8	363
	9	401
	10	508
<i>Aspidosoma aegrotum</i> Gorh. -----	9 (Sup.)	447
<i>Aspidosoma laterale</i> (F.) -----	9 (Sup.)	447

Asterolecanium bambusae Boisd. -----	9 (Sup.)	468
Attelabus conicollis Sharp -----	9 (Sup.)	449
Attelabus corvinus Gyll. -----	9 (Sup.)	450
Augochlora seminigra Ckll. -----	9 (Sup.)	489
Aulacaspis pentagona Targ. -----	3	88, 94
	9	419
	9 (Sup.)	468
Aulacizes panamensis Fowl. -----	9 (Sup.)	457
Aulocara elliotti Thos. -----	5	163
	5 (Sup.)	219, 221, 228, 231, 233, 235, 237, 241, 243, 245, 247, 249, 255, 257, 259
	6	264
	7	318
Aulocara femoratum Scudd. -----	5 (Sup.)	258
Autographa brassicae Riley -----	1	15
	2	44
	3	81
	4	130
	5	189, 190
	7	333
	8	372
	9	409-410
Autographa californica Speyer -----	1	8
	3	81
Automeris boucardi Druce -----	9 (Sup.)	491
Autoserica castanea Arrow -----	4	103
	7	321
	8	359
	10	530
Baeus sp. -----	10	536
Baris aerea (Boh.) -----	9 (Sup.)	450
Bathyplectes curculionis Thoms. -----	1	5, 7
	2	32
	3	64-65
	4	108
	5	173
Bembicia marginata Harr. -----	7	328
Bephrata maculicollis Cam. -----	9 (Sup.)	489
Bertholdia specularis (H. S.) -----	9 (Sup.)	491
Biorhiza forticornis Walsh -----	8	383
Blapstinus rufipes Csy. -----	3	93
Blapstinus sonorae Csy. -----	5	198
Blapstinus sulcatus Lec. -----	3	93
Blissus hirtus Montd. -----	5	171
	6	273
	7	325
	9	418
Blissus leucopterus Say -----	1	6-7
	1 (Sup.)	25
	2	27, 30-31
	3	57, 62-63
	4	95, 104-106

Blissus leucopterus Say (Cont'd) -----	5	157,169-171
	6	261,272-273
	7	323
	8	355,361-362
	9	393,398-399
	10	510,513-514
Blissus occiduus Barber -----	5	160
Bolbonota inaequalis (Fairm.) -----	9 (Sup.)	475
Bolbonota insignis Fowl. -----	9 (Sup.)	475-476
Boopedon nubilum Say -----	5 (Sup.)	219,231,235,245
Bothriocera tinealis (Klug) -----	9 (Sup.)	471
Brachyrhinus sulcatus F. -----	5	209
Brachystola magna Gir. -----	5 (Sup.)	219,222,223,235, 245,255
Bracon aticornis (Smith) -----	9 (Sup.)	502
Brentus mexicanus Boh. -----	9 (Sup.)	438
Brevicoryne brassicae L. -----	1	16
	2	28,43
	3	58,81
	4	130
	5	190
	6	289
	7	333
	9	410
Bruchebdus mayri (Masi) -----	10	518
Bruchus brachialis Fahraeus -----	6	275
	10	518
Bruchus pisorum L. -----	1	23
	3	93
	4	148
	5	212
Bruneria brunnea Thos. -----	5 (Sup.)	231,255
Bryobia praetiosa Koch -----	2	37
	3	72
Bucculatrix canadensisella Chamb. -----	8	382
Bucculatrix thurberiella Busck -----	8	381
Eystus hemisphaericus (Gerst.) -----	9 (Sup.)	447
Byturus unicolor Say -----	6	280
	7	328
Cacoecia argyrospila Walk. -----	4	113
	5	177
Cacoecia cerasivorana Fitch -----	5	182-183
Cacoecia fumiferana Clem. -----	6	303
	7	347
Cacoecia rosaceana Harr. -----	4	143
Calendra maidis Chitt. -----	4	107
Calendra spp. -----	4	107
	5	169
Caliroa aethiops F. -----	4	143
	5	209
	6	305
Callichroma holochlora Bates -----	9 (Sup.)	439
Calligrapha elegantula Jacoby -----	9 (Sup.)	439
Callosobruchus maculatus F. -----	9	395

Calomycterus setarius Roelofs -----	5	207
	6	261,270
	10	525
Calosoma willcoxi Lec. -----	5	199
Cammula pellucida Scudd. -----	5	161,163
	5 (Sup.)	219,259
	6	263,264
	9	396
Camponotus herculeanus pennsylvanicus Deg.	5	212
	6	308
	7	352
	8	390
Campoplex multicinctus Grav. -----	9 (Sup.)	502
Campoplex pyraustae Grav. -----	9 (Sup.)	502
Campoprosopella zanthoptera Hendel -----	9 (Sup.)	452
Campylocentrus hamifer (Fairm.) -----	9 (Sup.)	476
Campylocentrus pusillus (Fairm.) -----	9 (Sup.)	476
Canthon viridis (Beauv.) -----	9 (Sup.)	448
Capitophorus fragaefolii Ckll. -----	2	44
Carneocephala sagittifera Uhl. -----	9 (Sup.)	457
Carpocapsa pomonella L. -----	1	9
	2	27,35-36
	3	58,67-68
	4	96,111-112
	5	158,160,175-177
	6	261,276-277
	7	313,326
	8	363-364
	9	393,395,401
	10	509,518
Carpolonchaea pendula Bezzi -----	9 (Sup.)	452
Carpophilus dimidiatus F. -----	8	391
	9	426
Carpophilus hemipterus L. -----	3	93
	8	391
Carpophilus marginatus Er. -----	8	367
Carpophilus pallipennis Say -----	6	304
Castolus plagiaticollis Stal -----	9 (Sup.)	480
Catopsilia eubule L. -----	9	397
Cebrinis modesta Dist. -----	9 (Sup.)	480
Cecidomyia poculum O. S. -----	7	346
Cecidomyia verrucicola O. S. -----	6	300
	7	345
Cephenomyia pratti Hunter -----	3	90
Cephus siccifolius (Walk.) -----	9 (Sup.)	455
Cephus cinctus Nort. -----	7	314
	8	355
	9	394
Cephus pygmaeus L. -----	6	272
	8	360
Cerataphis lataniae (Boisd.) -----	9 (Sup.)	454
Ceratomegilla fuscilabris Muls. -----	4	125
Ceratonia catalpae Bdv. -----	4	137-138
	6	298-299

Cercopidae -----	4	109
Ceresa bubalus F. -----	7	327
Ceresa testacea Fairm. -----	9 (Sup.)	473
Ceresa vitulus (F.) -----	9 (Sup.)	473
Ceresa vitulus minor Fowl. -----	9 (Sup.)	476
Ceroplastes floridensis Comst. -----	9 (Sup.)	469
Cerostoma xylostella L. -----	6	304
Cerotoma rogersi Jacoby -----	9 (Sup.)	440
Cerotoma salvini Baly -----	9 (Sup.)	440
Cerotoma trifurcata Forst. -----	1	14
	3	80
	4	128
	7	332
Ceutorhynchus assimilis Payk. -----	5	191
	6	262, 289
Ceutorhynchus rapae Gyll. -----	4	131
Chaetocnema ectypa Horn -----	8	362
Chaetocnema pulicaria Melsh. -----	3	64
	4	108
Chalcodermus aeneus Boh. -----	4	110
Chalcoides helxines L. -----	4	117
Chariesterus moestus Burm. -----	9 (Sup.)	480
Chauliognathus histrio (Dej.) -----	9 (Sup.)	438
Chelonus annulipes Wesm. -----	9 (Sup.)	500, 501, 502
Chermes abietis L. -----	2	49
Chilo sp. -----	1	24
Chilocorus bivulnerus Muls. -----	2	34
Chilocorus cacti L. -----	9 (Sup.)	468
Chionaspis euonymi Comst. -----	1	18
	2	52
	5	208
	7	349
	8	386
	9	421
Chionaspis pinifoliae Fitch -----	2	42-49
	3	87
	4	140
	5	203
	7	346
	8	383
	9	417-418
Chionaspis salicis-nigrae Walsh -----	4	141
Chirida guttata Oliv. -----	5	196
	9 (Sup.)	440
Chiriquia serrata Morse -----	9 (Sup.)	494
Chloealtis conspersa Harr. -----	5 (Sup.)	228
Chlorochroa sayi Stal -----	7	313, 321
	9	395
Chlorion laeviventris Cress. -----	8	357
Chlorippe celtis Bdv. & Lec. -----	8	367
Chorisoneura gemmicula Hebard -----	9 (Sup.)	494
Chlorocoris aberrans Dist. -----	9 (Sup.)	480
Chorizagrotis auxiliaris Grote -----	2	29
	3	57, 59

Chorizagrotis auxiliaris Grote (Cont'd) ----	4	100
	5	164
Chortippus curtipennis Harr. -----	5 (Sup.)	219-255
Chortophaga australior R. & H. -----	5 (Sup.)	223
Chrysobothris femorata Oliv. -----	2	36-37
	3	70
	4	115
	5	174
	7	327
	9	400
Chrysomphalus aonidum L. -----	2	39
	9	393,404
Chrysomphalus aurantii Mask. -----	1	5,11
	2	39
	4	122
	6	281-282
	9	404
Chrysomphalus dictyospermi (Morg.) -----	9 (Sup.)	469
Chrysomphalus obscurus Comst. -----	1	10
	4	121
	5	205
Chrysomphalus tenebricosus Comst. -----	4	139
Chrysops flavidus Wied. -----	5	211
Chrysops plangens Wied. -----	5	211
Chrysops variegata Deg. -----	9 (Sup.)	452
Cicadella anita Fowl. -----	9 (Sup.)	457
Cicadella areolata Sign. -----	9 (Sup.)	457
Cicadella coeruleovittata Sign. -----	9 (Sup.)	458
Cicadella costaricensis Dist. -----	9 (Sup.)	458
Cicadella lativittata Fowl. -----	9 (Sup.)	458
Cicadella lutea Sign. -----	9 (Sup.)	458
Cicadella miniaticeps Fowl. -----	9 (Sup.)	458-459
Cicadella mollicella Fowl. -----	9 (Sup.)	459
Cicadella occatoria (Say) -----	9 (Sup.)	459
Cicadella pardalina Fowl. -----	9 (Sup.)	460
Cicadella pulchella Guer. -----	9 (Sup.)	460
Cicadella reservata Fowl. -----	9 (Sup.)	460
Cicadella rufoapicata Fowl. -----	9 (Sup.)	460
Cicadella satellas Fowl. -----	9 (Sup.)	460
Cicadella sexlineata Sign. -----	9 (Sup.)	460-461
Cicadella similis Walk. -----	9 (Sup.)	461
Cicadella testudinaria Fowl. -----	9 (Sup.)	462
Cicadellidae -----	3	65
	8	364
Cicadula maidis DeLong & Wolcott -----	9 (Sup.)	462
Cimex lectularius L. -----	4	144
	6	306
Cimex pilosellus Horv. -----	4	144
	8	388
Cinara strobi Fitch -----	2	48
	9	417
Cincticornia pilulae Walsh -----	8	383
Cingilia catenaria Drury -----	8	382
Circotettix rabula R. & H. -----	5 (Sup.)	219

<i>Cirphis unipuncta</i> Haw. -----	4	101
	5	165
	6	267
	7	319
<i>Clastoptera funesta</i> Stal -----	9 (Sup.)	455
<i>Clastoptera obtusa</i> Say -----	3	75
	9 (Sup.)	455
<i>Clausenia purpurea</i> Ishii -----	10	536
<i>Cleistolophus similis</i> (Chevr.) -----	9 (Sup.)	450
<i>Coccimorphus dichorus</i> Lac. -----	9 (Sup.)	447
<i>Cocconotus rarus</i> Rehn -----	9 (Sup.)	494
<i>Coccophagus gurneyi</i> Compere -----	1	11
<i>Coccus acuminatus</i> (Sign.) -----	9 (Sup.)	469
<i>Coccus hesperidum</i> (L.) -----	9 (Sup.)	469
<i>Coccus viridis</i> (Green) -----	9 (Sup.)	469
<i>Cochliomyia americana</i> C. & P. -----	1	21
	2	28,53
	3	89
	4	145
	5	211
	6	262,307
	7	353
	8	389
	9	393,424
	10	532-533
<i>Cochliomyia</i> spp. -----	1	5,21
<i>Colaspis fulvotestacea</i> Lef. -----	9 (Sup.)	440
<i>Colaspis prasina</i> Lef. -----	9 (Sup.)	440
<i>Colaspis sculpta</i> Jacoby -----	9 (Sup.)	440
<i>Colaspis</i> sp. -----	9	414
<i>Colaspis submetallica</i> Jacoby -----	9 (Sup.)	440
<i>Coleophora laricella</i> Hbn. -----	3	86
	4	139
	5	204
<i>Coleophora pruniella</i> Clem. -----	3	72
<i>Colgorma proxima</i> (Fowl.) -----	9 (Sup.)	471
<i>Collaria oleosa</i> Dist. -----	9 (Sup.)	481
<i>Collembola</i> -----	8	392
<i>Colopha ulmicola</i> Fitch -----	6	300
	8	383
<i>Colpoptera sinuata</i> Burm. -----	9 (Sup.)	472
<i>Colpoptera</i> sp. -----	9 (Sup.)	472
<i>Coninomus constrictus</i> Gyll. -----	9	427
<i>Concephalus cinereus</i> Thunb. -----	9 (Sup.)	494
<i>Conopia exitiosa</i> Say -----	1	9
	4	118
	5	181
	7	315,323
	8	365
	9	402
<i>Conotelus mexicanus</i> Murr. -----	9 (Sup.)	447
<i>Conotelus stenoides</i> Murr. -----	9 (Sup.)	448
<i>Conotrachelus affinis</i> Boh. -----	7	329
<i>Conotrachelus crataegi</i> Walsh -----	9	421

Conotrachelus fulvescens Champ. -----	9 (Sup.)	450
Conotrachelus nemuphar Hbst. -----	1	9
	2	27, 37 -38
	3	70 -71
	4	96, 116-117
	5	158, 179-180
	6	278
	7	315, 328
	8	365
	10	519
Conotrachelus perseae Barber-----	9 (Sup.)	450
Conotrachelus signatus Kirsch. -----	9 (Sup.)	450
Contarinia pyrivora Riley -----	3	72
Contarinia tritici Kby. -----	7	315
	8	355
Copicerus irroratus Swartz -----	9 (Sup.)	472
Copturus perseae Gunth. -----	9 (Sup.)	450
Cordillacris cremulata Brun. -----	5 (Sup.)	230, 231, 233, 241, 245, 255, 259
Cordillacris occipitalis Thos. -----	5 (Sup.)	219, 245
Corecoris fusca (Thunb.) -----	9 (Sup.)	481
Corizus hyalinus (F.) -----	9 (Sup.)	481
Corizus pictipes (Stal) -----	9 (Sup.)	481
Corizus sidae F. -----	9 (Sup.)	481
Corythucha ciliata Say -----	2	49
	9	418
Corythucha cydoniae Fitch -----	7	349
	8	385
Corythucha spp. -----	8	384
Cosmopepla coeruleata Montd. -----	9 (Sup.)	481
Cotinis nitida L. -----	6	268
	8	359
	9	419
Cotyleceps maculata Fowl. -----	9 (Sup.)	473
Crambus caliginosellus Clem. -----	6	274
Crambus spp. -----	4	96, 107
	5	172
	7	325
	8	385
Cratypedes neglectus Thos. -----	5 (Sup.)	219, 221, 255, 258.
Cremastus flavoorbitalis (Cameron)-----	9 (Sup.)	499, 501, 502, 505.
Creontiades rubrinervus (Stal) -----	9 (Sup.)	481
Crioceris asparagi L. -----	3	82
	5	193
	6	291
Cryptocephalus trizonatus Suffr. -----	9 (Sup.)	440-441
Cryptococcus fagi Baer. -----	5	202
	6	298
	7	343
	8	382
	9	416
Cryptolaemus montrouzieri Muls. -----	1	11

<i>Cryptorhynchus lapathi</i> L. -----	7	547
<i>Cryptotermes brevis</i> Walk. -----	1	24
<i>Cryptotermes cavifrons</i> Banks -----	1	24
<i>Ctenocephalides canis</i> Curt. -----	8	388
	9	423
<i>Ctenocephalides felis</i> Bouche -----	9	423
<i>Ctenocephalides</i> spp. -----	9	423
<i>Ctenochira cumulata</i> (Boh.) -----	9 (Sup.)	441
<i>Ctenochira vivida</i> (Boh.) -----	9 (Sup.)	441
<i>Culex pipiens</i> L. -----	8	387
	10	533, 534
<i>Culicinae</i> -----	4	144
	5	210
	6	305
	9	422-423
<i>Culicoides canithorax</i> Hoffm. -----	4	144
	5	210
	7	351
	9	424
<i>Culicoides dovei</i> Hall -----	5	210
	7	351
<i>Culicoides melleus</i> Coq. -----	5	210
<i>Culicoides</i> spp. -----	4	144-145
	6	306
	7	351
	9	424
<i>Curculio caryae</i> Horn -----	7	329
	9	403
<i>Cyclocephala mafaffa</i> Burm. -----	9 (Sup.)	448
<i>Cylas formicarius</i> F. -----	1	16
	8	375
	9	412
<i>Cyllene robiniae</i> Forst. -----	4	139
<i>Cypherotylus elevatus</i> (F.) -----	9 (Sup.)	447
<i>Cyphonia clavata</i> (F.) -----	9 (Sup.)	476
<i>Cyrtocapsus caligineus</i> (Stal) -----	9 (Sup.)	481
<i>Dactylotum pictum</i> Thos. -----	5 (Sup.)	219, 241
<i>Danaus menippe</i> Hbn. -----	2	29
<i>Dasyneura rhodophaga</i> Coq. -----	9	421-423
<i>Dasyneura ulmea</i> Felt -----	4	138
<i>Datana integerrima</i> G. & R. -----	6	262, 281
	7	342
	8	366
<i>Datana</i> sp. -----	6	298
<i>Debilis angustata</i> Champ. -----	9 (Sup.)	481
<i>Delphacodes nigra</i> Crawf. -----	9 (Sup.)	473
<i>Delphacodes nigrifacies</i> Muir -----	9 (Sup.)	473
<i>Delphacodes propinqua</i> Fieb. -----	9 (Sup.)	473
<i>Deltocephalus flavicosta</i> Stal -----	9 (Sup.)	462
<i>Deltocephalus spinosus</i> Gibson -----	9 (Sup.)	462
<i>Demodex folliculorum</i> Simon -----	4	147
<i>Dendroctonus frontalis</i> Zimm. -----	4	140
	5	206

Dendroctonus piceaperda Hopk. -----	8	355,384
	9	393,418
Dermacentor andersoni Stiles -----	4	145
	6	306
	10	534
Dermacentor variabilis Say -----	3	90
	4	97,145
	5	210
	6	262,306
	7	352
	8	388
	10	535
Dermacentor venustus Marx.		
See D. andersoni Stiles.		
Dermatobia hominis (L.) -----	9 (Sup.)	452
Dermestes cadaverinus F. -----	8	391
Dermestes lardarius L. -----	4	148
Dermestes vulpinus F. -----	9	426
Derocrepis erythropus Melsh. -----	7	328
Derotmema haydenii Thos. -----	5 (Sup.)	219,221,231,235,236, 241,243,245,247,255
Desmia funeralis Hbn. -----	3	73
	4	119
	9	403
Diabrotica balteata Lec. -----	1	5,13
	2	42
	7	333
	9 (Sup.)	441
Diabrotica duodecimpunctata F. -----	1	13
	2	41
	3	77
	4	96,106,124-125
	8	368
	9	406
Diabrotica fulvicornis Jacoby -----	9 (Sup.)	441
Diabrotica fulvosignata Baly -----	9 (Sup.)	441
Diabrotica longicornis Say -----	7	325
Diabrotica nummularis Harold -----	9 (Sup.)	442
Diabrotica porracea Harold -----	9 (Sup.)	442
Diabrotica soror Lec. -----	4	125
	5	180
	6	283
	7	333
Diabrotica sp. -----	7	333
Diabrotica theimei Baly -----	9 (Sup.)	442
Diabrotica trivittata Mann. -----	7	333
Diabrotica viridula (F.) -----	9 (Sup.)	442
Diabrotica vittata F. -----	3	77
	4	124
	5	191
	8	368
	9	406
	9 (Sup.)	443
Diacrisia virginica F. -----	5	185
	8	375

<i>Dialeurodes chittendeni</i> Laing -----	1	19
<i>Dialeurodes citri</i> Ashm. -----	2	39
	3	75
	4	122
	7	329
	8	367
	9	403
<i>Dialeurodes citrifolii</i> Morg. -----	7	329
	8	367
	9	404
<i>Diaphania hyalinata</i> L. -----	5	191
	8	373
<i>Diaphania nitidalis</i> Stoll -----	5	192
	8	373
	9 (Sup.)	491
<i>Diatraea grandiosella</i> Dyar -----	9	400
<i>Diatraea saccharalis</i> F. -----	1	8
	3	65
<i>Dicentria sabella</i> Druce -----	9 (Sup.)	491
<i>Dicentria violascens</i> (H. S.) -----	9 (Sup.)	491
<i>Dichromina dimidiata</i> Burm. -----	7	341 - 342
<i>Dichomeris marginellus</i> F. -----	3	88
	4	142
<i>Dictyophara herbida</i> (Walk.) -----	9 (Sup.)	473
<i>Dictyophara obtusifrons</i> (Walk.) -----	9 (Sup.)	473
<i>Dicyphus minimus</i> Uhl. -----	7	336
<i>Dikraneura kunzei</i> Gill. -----	2	51
<i>Dilachmus strobi</i> Fitch.		
See <i>Cinara strobi</i> Fitch.		
<i>Dilophus melanarius</i> V. d. Wulp. -----	9 (Sup.)	453
<i>Dione vanillae</i> L. -----	9	397
<i>Diplosis inopis</i> O. S. -----	3	87
<i>Diplotaxis atlantis</i> Fall -----	4	132
<i>Diplotaxis</i> sp. -----	4	137
<i>Diprion polytomum</i> Htg. -----	5	207
	6	303
	8	384 - 385
	9	395, 418
<i>Diprion frutetorum</i> F. -----	5	160
<i>Diprion swaini</i> Middleton -----	5	160
<i>Dissosteira carolina</i> L. -----	5	182
	5 (Sup.)	219 - 258
	6	264, 265
	7	318
	8	356
<i>Dissosteira longipennis</i> Thos. -----	5 (Sup.)	219, 221, 245
	6	265
	8	356
	9	396 - 397
	10	513
<i>Dissosteira spurcata</i> Sauss. -----	5 (Sup.)	249, 258
<i>Disonycha triangularis</i> Say -----	5	184
<i>Disonycha trifasciata</i> Clark -----	9 (Sup.)	443
<i>Dorymyrmex pyramicus</i> Roger -----	6	308
<i>Doryphorophaga doryphorae</i> Riley -----	6	284

<i>Draeculacephala lenticula</i> Ball -----	9 (Sup.)	462
<i>Draeculacephala soluta</i> Gibs. -----	9 (Sup.)	462
<i>Drasterius</i> sp. -----	5	166
<i>Drepanopterna femoratum</i> Scudd. -----	5 (Sup.)	219-259
<i>Dysdercus flavolimbatus</i> Stal -----	9 (Sup.)	481
<i>Dysdercus mimulus</i> Hussey -----	9 (Sup.)	482
<i>Dysdercus obliquus</i> (H. S.) -----	9 (Sup.)	482
<i>Dysdercus oncopeltus</i> Dist. -----	9 (Sup.)	482
<i>Eantis pallida</i> (Feld.) -----	9 (Sup.)	491
<i>Eburia quadrigeminata</i> Say -----	8	391
<i>Eccritotarsus pallidirostris</i> Stal -----	9 (Sup.)	482
<i>Ecdytolopha insiticiiana</i> Zell. -----	6	300
<i>Ectatomma ruidum</i> Roger -----	9 (Sup.)	489
<i>Edessa cornuta</i> Burm. -----	9 (Sup.)	482
<i>Edessa junix</i> Stal -----	9 (Sup.)	482
<i>Edessa nigrispina</i> Dallas -----	9 (Sup.)	482
<i>Edessa rufomarginata</i> (Deg.) -----	9 (Sup.)	482
<i>Elasmopalpus lignosellus</i> Zell. -----	4	107
	6	274
	7	332
	8	374- 375
<i>Elateridae</i> -----	3	57 ,60
	4	95,101 -102
	5	157,159,165 -166
	9	394,408
<i>Eleodes opaca</i> Say -----	3	63
<i>Eleodes</i> sp. -----	5	173
<i>Eleodes</i> spp. -----	3	63
<i>Eleodes suturalis</i> Say -----	3	63
	8	391
<i>Ellipes minuta</i> (Scudd.) -----	9 (Sup.)	494
<i>Ellopia fiscellaria</i> Guen. -----	9	393, 416
<i>Empoasca fabae</i> Harr. -----	6	285
	8	370
	9	408, 421
<i>Empoasca filamenta</i> DeLong -----	6	285
	8	370
<i>Empoasca perelegans</i> Oman -----	9 (Sup.)	463
<i>Empoasca phaseola</i> Oman -----	9 (Sup.)	463
<i>Empoasca solana</i> DeLong -----	9	408
<i>Enchenopa binotata</i> Say -----	9	422
	9 (Sup.)	476 -477
<i>Enchenopa lanceolata</i> (Stoll) -----	9 (Sup.)	477
<i>Enechophyllum dubium</i> Fowl. -----	9 (Sup.)	477
<i>Encoptolophus costalis</i> Scudd -----	5 (Sup.)	219 -259
<i>Encoptolophus sordidus</i> Burm. -----	5 (Sup.)	223,225,226
<i>Ennomos subsignarius</i> Hbn. -----	4	135
<i>Enoclerus villicus</i> (Gorh.) -----	9 (Sup.)	446
<i>Entomoscelis adonidis</i> Pallas -----	5	160
	7	315
<i>Entylia sinuata</i> (F.) -----	9 (Sup.)	477
<i>Ephestia figulilella</i> Greg. -----	3	92 -93
<i>Ephestioides nigrella</i> Hulst -----	3	93
<i>Epibidis godmani</i> Fowl. -----	9 (Sup.)	473

<i>Epicerus imbricatus</i> Say -----	5	173
<i>Epicauta cinerea</i> Forst. -----	6	282
	8	368
<i>Epicauta lemniscata</i> F. -----	6	283
	7	330
	8	368
<i>Epicauta maculata</i> Say -----	6	283
	7	330
<i>Epicauta marginata</i> F. -----	6	282
	8	368
<i>Epicauta pennsylvanica</i> Deg. -----	6	282, 283
	8	368
	9	421
<i>Epicauta</i> sp. -----	5	185
	6	283
<i>Epicauta</i> spp. -----	7	330
<i>Epicauta vittata</i> F. -----	4	125
	6	282
<i>Epicranion championi</i> Fowl. -----	9 (Sup.)	455
<i>Epilachna abrupta</i> Gorb. -----	9 (Sup.)	446
<i>Epilachna borealis</i> F. -----	8	374
	9 (Sup.)	446
<i>Epilachna defecta</i> Muls. -----	9 (Sup.)	446
<i>Epilachna varivestis</i> Muls. -----	2	28, 42
	3	79-80
	4	96, 127-128
	5	158, 187-188
	6	287-288
	7	332
	8	370-371
	9 (Sup.)	446
	10	510, 524
<i>Epilachna virgata</i> Muls. -----	9 (Sup.)	446
<i>Epitrix cucumeris</i> Harr. -----	3	78
	4	127
	5	186
	6	284-285
	7	331
	9	395
<i>Epitrix fuscata</i> (Duv.) -----	9 (Sup.)	443
<i>Epitrix parvula</i> F. -----	3	78, 83
	4	133
	6	293
	7	313, 335
	9	408, 412
	10	509
<i>Epitrix subscrinata</i> Lec. -----	5	186
	6	285
<i>Erannis tiliaria</i> Harr. -----	4	135
	6	297
<i>Erechtia sallaei</i> (Fowl.) -----	9 (Sup.)	477
<i>Eriococcus araucariae</i> Mask. -----	9 (Sup.)	469
<i>Eriococcus azaleae</i> Comst. -----	3	88
	4	142

<i>Eriolus longipennis</i> Redt. -----	9 (Sup.)	494
<i>Eriophyes gossypii</i> Banks -----	3	84
<i>Eriophyes</i> sp. -----	5	208
<i>Eriosoma americanum</i> Riley -----	5	203
<i>Eriosoma lanigerum</i> Hausm. -----	3	67
<i>Erythmelus gracilis</i> (How.) -----	10	536
<i>Erythraspides pygmaea</i> Say -----	7	329
<i>Erythroneura comes</i> Say -----	1	10
	2	34, 38
	4	114, 120
	6	262, 280
	7	315-316
<i>Erythroneura comes maculata</i> Gill. -----	8	364
<i>Erythroneura comes ziczac</i> Walsh -----	2	38
<i>Erythroneura elegans</i> McAtee -----	2	38
<i>Erythroneura obliqua</i> Say -----	2	34
	4	114
<i>Esthlogena porosa</i> Bates -----	9 (Sup.)	439
<i>Estigmene acraea</i> Drury -----	3	64
<i>Etiella zinckenella</i> Treit. -----	3	94
	6	289
<i>Euchaetes mitis</i> Schaus -----	9 (Sup.)	491
<i>Eucosma gloriola</i> Heinr. -----	6	302
<i>Euetheola rugiceps</i> Lec. -----	3	66
	4	96, 108
	5	157, 172
<i>Euglyphis castalia</i> (Druce) -----	9 (Sup.)	492
<i>Euglyphis melancholica</i> (Butl.) -----	9 (Sup.)	492
<i>Eulimneria alka</i> Ell. & Sacht. -----	9 (Sup.)	502
<i>Eulophus viridulus</i> Thoms. -----	9 (Sup.)	502
<i>Eumastax silvicola</i> R. & R. -----	9 (Sup.)	494
<i>Euphyllodromia angustata</i> (Latr.) -----	9 (Sup.)	495
<i>Euproctus subdeletus</i> Bates -----	9 (Sup.)	438
<i>Eurhinus festivus</i> (F.) -----	9 (Sup.)	450
<i>Eurymus eurytheme</i> Bdv. -----	8	355, 362
<i>Euryophthalmus cinctus</i> (H. S.) -----	9 (Sup.)	483
<i>Euscelis striatulus</i> Fall. -----	6	281
<i>Euschausia argentata</i> Pack. -----	6	302
<i>Euschistus bifibulus</i> (Beauv.) -----	9 (Sup.)	483
<i>Euschistus crenator</i> (F.) -----	9 (Sup.)	483
<i>Eusimulium pecuarum</i> Riley -----	2	54
<i>Eusimulium</i> spp. -----	2	54
<i>Eutettix tenellus</i> Bak. -----	2	44
	3	82
	4	96, 133
	7	335
	8	375
	9	411
	10	524
<i>Eutrombidium trigonum</i> Hermann -----	6	265
<i>Euxesta stigmatias</i> Loew -----	1	24
<i>Euxoa excellens</i> Grote -----	5	193
<i>Euxoa messoria</i> Harr. -----	5	165
<i>Euxoa</i> sp. -----	4	99

<i>Exeristes roborator</i> F. -----	9 (Sup.)	502
<i>Exitianus picatus</i> Gibs. -----	9 (Sup.)	463
<i>Exophthalmus jekelianus</i> (White) -----	9 (Sup.)	450
<i>Exophthalmus scalptus</i> Champ. -----	9 (Sup.)	450
<i>Exophthalmus sulcicrus</i> Champ. -----	9 (Sup.)	451
<i>Fenusa pumila</i> Klug -----	4	137
	7	343
<i>Fidia viticida</i> Walsh -----	4	120
	5	183
<i>Fiorinia theae</i> Green -----	9	420
<i>Flatoides humeralis</i> Walk. -----	9 (Sup.)	473
<i>Forda olivacea</i> Rohw. -----	1	18
<i>Forficula auricularia</i> L. -----	6	267
	7	315
	8	357
<i>Formica exsectoides</i> Forel. -----	8	389
<i>Formica fusca</i> Hinds -----	5	212
	8	390
<i>Formicidae</i> -----	1	20
	3	92
	4	148
	8	389 - 390
<i>Frankliniella fusca</i> Hinds -----	4	135
	10	523
<i>Frankliniella gossypii</i> Morg. -----	10	523
<i>Frankliniella minuta</i> Moul. -----	2	37
<i>Frankliniella occidentalis</i> Perg. -----	5	174
	10	523
<i>Frankliniella runneri</i> Morg. -----	10	523
<i>Frankliniella</i> sp. -----	4	122
<i>Frankliniella tritici</i> Fitch -----	2	40
	3	75
	4	110, 135
	10	523
<i>Frankliniella tritici californicus</i> Moul. -----	1	12
	2	37
<i>Fundella cistipennis</i> Dyar -----	3	94
<i>Gaetulia plenipennis</i> (Walk.) -----	9 (Sup.)	473
<i>Galeruca encaustica</i> Germ. -----	9 (Sup.)	443
<i>Galerucella cavicollis</i> Lec. -----	4	119
	5	183
<i>Galerucella nymphaeae</i> L. -----	7	350
<i>Galerucella xanthomelaena</i> Schr. -----	3	85
	4	138
	5	159, 202
	6	299
	7	344
	8	382
	9	417
<i>Gargaphia patricia</i> (Stal) -----	9 (Sup.)	483
<i>Gargaphia solanii</i> Heid. -----	6	291
	8	374
<i>Gastroidea aenea</i> Melsh. -----	5	174
<i>Gastrophilus intestinalis</i> Deg. -----	8	389
	9	425

Gastrophilus spp. -----	9	425
Geometridae -----	3	84
	4	97 , 135
	5	158-159, 199-200
	6	297
	10	528
Geræus lentiginosus (Boh.) -----	9 (Sup.)	451
Geræus lineellus (Lec.) -----	9 (Sup.)	451
Geræus senilis (Gyll.) -----	9 (Sup.)	451
Gloveria balloui Schaus -----	9 (Sup.)	492
Glyptoscelis pubescens F. -----	7	346
Glyptoscelis squamulata Crotch -----	3	73
Gnorimoschema chenopodiella Busck -----	4	132
Gnorimoschema lycopersicella Busck -----	3	58, 79
	4	127
	5	187
	6	286
	7	331
	8	370
	9	407
Gnorimoschema operculella Zell. -----	3	94
	8	369
	9	407
Gomphocerus clavatus Thos. -----	5 (Sup.)	219, 221, 241, 255
Goniurus proteus L. -----	9	408
Gossyparia spuria Mod. -----	2	48
	3	85
	4	138
	5	159, 203
	6	300
	7	344-345
	8	383
	10	508
Gracilaria negundella Chamb. -----	6	298
Gracilaria syringella F. -----	7	350
Graphocephala coccinea (Forst.) -----	9 (Sup.)	463
Graphocephala limbaticollis Stal -----	9 (Sup.)	464
Graphocephala rufimargo Walk. -----	9 (Sup.)	464
Graphocephala sanguinolenta Coqueb. -----	9 (Sup.)	464
Graphocephala versuta Say -----	6	295
	9 (Sup.)	464
Grapholitha molesta Busck -----	3	58, 71
	4	117
	5	158, 160 , 180-181
	6	279
	7	315, 327-328
	8	365
	9	402
	10	518-519, 536
Grapholitha packardi Zell. -----	6	280
Grapholitha laticinerea Grote -----	6	301
Gratiana pallidula Boh. -----	6	262, 291
Gryllotalpa africana Bdv. -----	1	24
Gryllotalpa gryllotalpa L. -----	1	24

<i>Gryllotalpa gryllotalpa cophota</i> Haan -----	1	24
<i>Gryllotalpa hexadactyla</i> Perty -----	7	330
	9	427
<i>Gryllus assimilis</i> F. -----	3	84
	4	132
	5	173
	6	267
	7	352
<i>Gryllus domesticus</i> L. -----	1	20
	7	351- 352
	9	427
<i>Gymnaetron netum</i> Germ. -----	10	535
<i>Gymnaetron teter</i> F. -----	10	535
<i>Gymnetis liturata</i> (Oliv.) -----	9 (Sup.)	448
<i>Gymnopolybia sulfureofasciata</i> Buckl. -----	9 (Sup.)	489, 491
<i>Gynaikothrips uzeli</i> Zimm. -----	3	87
	5	207
<i>Gypona praeterita</i> Fowl. -----	9 (Sup.)	464
<i>Gypona puncticollis</i> Spangb. -----	9 (Sup.)	464
<i>Gypona signoreti</i> Stal. -----	9 (Sup.)	465
<i>Gypona vinula</i> Stal. -----	9 (Sup.)	465
<i>Gypona vulnerata</i> Walk. -----	9 (Sup.)	465
<i>Hadrotettix trifasciatus</i> Say -----	5 (Sup.)	219, 228, 231, 235, 237, 241, 245, 247, 255
<i>Haematobia irritans</i> L. -----	4	146
	5	210-211
	7	354
	9	424
<i>Haematopinus eurystermus</i> Nitz. -----	3	90
<i>Halictus pseudotegularis</i> Ckll. -----	9 (Sup.)	489
<i>Halisidota ingens</i> Hy. Edw. -----	3	58, 87
<i>Halisidota schausi</i> Rothsch. -----	9 (Sup.)	492
<i>Halticinae</i> -----	4	96, 123-124
	5	158, 160, 184-185
	7	333
	10	509
<i>Halticus bractatus</i> (Say) -----	9 (Sup.)	483
<i>Halticus citri</i> Ashm. -----	9	419
	10	536
<i>Hamadryas antiopa</i> L. -----	3	60
	4	138
	5	203
	6	299 -300
<i>Hapalips fuscus</i> Reitt. -----	9 (Sup.)	447
<i>Harmolita tritici</i> Fitch -----	7	323
<i>Harmologa fumiferana</i> Clem.		
See <i>Cacoecia fumiferana</i> Clem.		
<i>Harrisina brillians</i> B. & McD. -----	7	329
<i>Heilipus trifasciatus</i> F. -----	9 (Sup.)	451
<i>Heliothis obsoleta</i> F. -----	1	5, 7
	2	27, 32
	3	64, 79
	4	96, 106-107

<i>Heliothis obsoleta</i> F. (continued) -----	5	171-172
	6	273 -274, 285-286, 294
	7	313 ,314, 324, 338-339
	8	355, 358, 360-361, 368-369, 380
	9	393, 399-400, 405-406
	10	509, 513
<i>Heliothis phloxiphaga</i> G. & R. -----	6	286
<i>Heliothis virescens</i> F. -----	6	293
<i>Heliothrips fasciata</i> Perg. -----	8	371
	9	408
	10	523
<i>Heliothrips haemorrhoidalis</i> Bouche -----	9	420
<i>Hellula undalis</i> F. -----	8	374
<i>Hemerocampa costaricensis</i> Schaus -----	9 (Sup.)	492
<i>Hemerocampa leucostigma</i> S. & A. -----	6	296
<i>Hemichionaspis aspidistrae</i> Sign. -----	1	19
	9 (Sup.)	469
<i>Hemichroa americana</i> Prov. -----	9	416
<i>Hemileuca maia</i> Drury -----	4	144
	9	416
<i>Heraeus guttata</i> (Dallas) -----	9 (Sup.)	483
<i>Hesperotettix brevipennis</i> Thos. -----	5 (Sup.)	219, 228
<i>Hesperotettix speciosus</i> Scudd. -----	5 (Sup.)	219, 223, 235, 241
<i>Hesperotettix viridis</i> Thos. -----	5 (Sup.)	219, 223, 228, 231, 235, 239, 241, 245, 249, 255
<i>Heterocordylus malinus</i> Reut. -----	4	114
<i>Heteroderes laurentii</i> Guer. -----	7	320
<i>Heza similis</i> Stal -----	9 (Sup.)	483
<i>Hippiscus californicus</i> Scudd. -----	5 (Sup.)	258
<i>Hippiscus rugosus</i> Scudd. -----	5 (Sup.)	219, 223, 235 ,245
<i>Hippodamia convergens</i> Guer. -----	1	16
	4	109
	7	334
<i>Hippopsis lemniscata</i> F. -----	9	420
	9 (Sup.)	439
<i>Holocompsa azteca</i> Sauss. -----	9 (Sup.)	495
<i>Homoeotelus jansoni</i> Crotch -----	9 (Sup.)	447
<i>Homophoeta cyanipennis octomaculata</i> (Crotch) -----	9 (Sup.)	443
<i>Horiola arcuata</i> (F.) -----	9 (Sup.)	477
<i>Horiola composita</i> Walk. -----	9 (Sup.)	477
<i>Horiola picta</i> (Coqueb.) -----	9 (Sup.)	478
<i>Horistonotus uhlerii</i> Horn -----	5	166
<i>Hyadaphis xylostei</i> Schr.		
See <i>Rhopalosiphum melliferum</i> Hottes.		
<i>Hylastinus obscurus</i> Marsham -----	4	109
<i>Hylemyia antiqua</i> Meig. -----	5	193
<i>Hylemyia brassicae</i> Bouche -----	4	130-131
	5	160, 190
	8	373
<i>Hylemyia cilicrura</i> Rond. -----	2	41
	3	58 ,77
	4	101
	5	185
	8	371

Hylobius pales Hbst.-----	2	48
	5	206
	6	302
Hylobius radialis Buchanan -----	8	334
	9	417
Hylurgopinus rufipes Eich. -----	2	47-48
	6	299
Hymenia fascialis Cram. -----	8	372
Hypera nigrirostris F. -----	10	536
Hypera postica Gyll. -----	1	5,7-8
	2	52
	3	64-65
	4	108
	5	173
	6	261,275
	10	517
Hypera punctata F. -----	1	8
	4	108
Hypermallus villosus F. -----	6	301
	7	345-346
	8	383
Hyphantria cunea Drury -----	7	342-343
	8	381-382
Hyphantria spp. -----	5	201
Hyphantria textor Harr. -----	5	201
	7	343
Hypochlora alba Dodge -----	5 (Sup.)	219,231,241,255
Hypoderma spp. -----	2	54
	3	89-90
Hypselonotus atratus Dist. -----	9 (Sup.)	484
Hypselonotus loratus Bredd. -----	9 (Sup.)	484
Hysteroneura setariae Thos. -----	3	73
Icerya montserratensis Riley & How. ----	9 (Sup.)	470
Icerya purchasi Mask. -----	1	19
	2	50
	3	38
	4	122
	5	183
	7	330
	9	404
Illinoia pisi Klth. -----	1	15
	2	42
	3	80
	4	109,128-129
	5	158,188-189
	6	288
	7	325
Illinoia solanifolii Ashm. -----	4	127
	5	186-187
	6	287
	9	395
Inareolata punctoria Roman -----	9 (Sup.)	499-502,504
Insara intermedia (Brunner) -----	9 (Sup.)	495

<i>Ips calligraphus</i> Germ. -----	5	206
<i>Iridomyrmex humilis</i> Mayr -----	1	20
	2	56
	3	308
	7	352
	8	390
<i>Iridomyrmex pruinosus</i> Roger -----	8	390
<i>Ischnaspis longirostris</i> (Sign.) -----	9 (Sup.)	470
<i>Ischnodemus sallaei</i> (Sign.) -----	9 (Sup.)	484
<i>Isoptera</i> -----	7	325
<i>Ithycerus noveboracensis</i> Forst. -----	4	110
<i>Jadera haemateloma</i> H. S. -----	9	420
<i>Jalysus spinosus</i> Say -----	8	370
<i>Janus integer</i> Nort. -----	8	385
<i>Kaliosysphinga ulmi</i> Gund. -----	6	299
<i>Kolla fasciata</i> (Walk.) -----	9 (Sup.)	465
<i>Kolla geometrica</i> (Sign.) -----	9 (Sup.)	466
<i>Labopidea allii</i> Knight -----	5	193
<i>Lachnus caryae</i> Harr. -----	3	74
<i>Lachnus thujafilina</i> Del Guer. -----	2	51
<i>Lampethusa anatina</i> Dist. -----	9 (Sup.)	484
<i>Laphygma exigua</i> Hbn. -----	3	79
	4	134
<i>Laphygma frugiperda</i> S. & A. -----	6	261,276
	7	313,319
	8	355,357-358
	9	397
<i>Lariophagus distinguendus</i> Forst. -----	10	518
<i>Lasioderma serricorne</i> L. -----	7	354
	9	426
<i>Lasiophthicus pyrastris</i> L. -----	4	109
<i>Lasioptera clavula</i> Beutm. -----	3	88
<i>Lasiopteryx vitis</i> O. S. -----	6	281
<i>Lasius interjectus</i> Mayr -----	2	56
	3	92
<i>Lasius</i> sp. -----	1	20
<i>Laspeyresia caryana</i> Fitch -----	3	74
	8	366
	9	403
<i>Laspeyresia nigricana</i> Steph. -----	7	315
<i>Laspeyresia prunivora</i> Walsh -----	9	395
<i>Latrodectus mactans</i> F. -----	6	306
	8	388
	9	423-424
<i>Lebia soror</i> Chaud. -----	9 (Sup.)	438
<i>Lecaniodiaspis pruinosa</i> Hunter -----	4	137
<i>Lecanium corni</i> Bouche -----	3	85
	4	111
<i>Lecanium nigrofasciatum</i> Perg. -----	3	86
<i>Lecanium pruinsum</i> Coq. -----	1	10
<i>Lecanium quercifex</i> Fitch -----	3	86
<i>Leis conformis</i> Bdv. -----	2	39

Lema trilineata Oliv. -----	6	305
	7	349
Lepidosaphes beckii Newm. -----	7	329
	9	404
	9 (Sup.)	470
Lepidosaphes camelliae Hoke -----	2	51
Lepidosaphes halli Green -----	1	11
Lepidosaphes ulmi L. -----	2	47,51
	3	88
	4	141
	8	382
Lepisma saccharina L. -----	8	391
	9	427
Leptinotarsa decemlineata Say -----	2	42
	3	78
	4	126
	5	186
	6	262,284
	7	315,330-331
	8	369
	9	407
	1	20
Leptocoris trivittatus Say -----	1	20
Leptocorisa tibuloides (Deg.) -----	9 (Sup.)	484
Leptoglossus phyllopus L. -----	8	375
	9	404
Leptoglossus stigma (Hbst.) -----	9 (Sup.)	484
Leptoglossus zonatus (Dallas) -----	9 (Sup.)	484
Liburnia teapae Fowl. -----	9 (Sup.)	473
Lichnoptera cavillator Walk. -----	9 (Sup.)	492
Ligyrocoris litigiosus (Stal) -----	9 (Sup.)	484
Ligyrocoris multispinus Stal -----	9 (Sup.)	485
Ligyus gibbosus Deg. -----	4	131
	5	191
	6	275
	7	335
	9	407
Limonium canus Lec. -----	3	60-61
	4	102
Limonium californicus Mann. -----	3	60
	4	102
	6	268
Limonium ectypus Say -----	9	408
Limonium infuscatus Mots. -----	3	60
Limonium spp. -----	7	320
Liothrips zetekii Hood -----	9 (Sup.)	497
Liponyssus bacoti Hirst -----	1	21
	3	89
	4	146
Listroderes obliquus Klug -----	1	5,12
	2	28, 40-41
	3	76-77
	4	123
Listronotus latiusculus Boh. -----	5	158,192
Lithocolletis hamadryalla Clem. -----	7	346
Lixus concavus Say -----	4	133
	5	195
	6	292

Lobometopon guatemalensis (Champ.) -----	9 (Sup.)	449
Longistigma caryae Harr. -----	2	49
Longitarsus waterhousei Kutsch. -----	5	195
	6	292
Lopidea davisi Knight -----	8	387
Lopidea robiniae Uhl. -----	5	182
Loxostege similalis Guen. -----	6	268,294
Loxostege spp. -----	6	261,267
Loxostege sticticalis L. -----	5	160,195
	6	267
	7	315,319-320
Ludius noxius Hyslop -----	3	60
Ludius spp. -----	7	320
	9	394
Lycophotia margaritosa saucia Hbn. -----	3	59-60
	4	100
	5	165
	6	267
Lycorea atergatis (Doubl. & Hewits.) ---	9 (Sup.)	492
Lyctus spp. -----	8	390
	9	426
	10	536
Lyctus planicollis Lec. -----	1	23
Lydella stabulans griseus R. Deev. --	9 (Sup.)	499-502
Lygaeonematus erichsonii Htg. -----	5	204
	7	316
Lygaeus bistrigularis Say -----	9 (Sup.)	485
Lygaeus reclusianus Say -----	9 (Sup.)	485
Lygaeus sallaei Stal -----	9 (Sup.)	485
Lygaeus uhleri Stal -----	9 (Sup.)	485
Lygiade mendax Reut. -----	4	114
Lygus caryae Knight -----	5	174
Lygus elisus Van D. -----	6	275
	7	313,331
Lygus elisus hesperus Knight -----	6	275
Lygus pratensis L. -----	3	65,63,78
	4	126
	5	160,174
	6	279
	10	522
Lytta nuttalli Say -----	6	282,283
	7	314
Macaria granitata Guen. -----	7	347
Macrobasis albida Say -----	7	330
Macrobasis torsa Lec. -----	5	207
Macrobasis unicolor Kby. -----	6	283
Macrocentrus gifuensis Ashm. -----	9 (Sup.)	503
Macroductylus lineatus Chevr. -----	9 (Sup.)	448
Macroductylus suavis Bates -----	9 (Sup.)	448
Macroductylus subspinosus F. -----	4	104
	5	157,167-168
	6	261,268
Macroductylus sylphis Bates -----	9 (Sup.)	443

Macrosiphum aucubae Bartholomew -----	1	19
Macrosiphum liriodendri Monell -----	7	347
Macrosiphum rosae L. -----	9 (Sup.)	454
Macropsis trimaculata Fitch -----	4	118
Magiccicada septendecim L. -----	3	57
	4	95
	10	525-527
Malacorhinus decempunctatus Jacoby -----	9 (Sup.)	443
Malacosoma americana F. -----	2	36
	3	58, 68-69
	4	96, 112-113
	5	158, 160, 177
	10	519, 528
Malacosoma constricta Stretch -----	6	296
Malacosoma disstria Hbn. -----	2	46
	3	58, 85
	4	97, 136
	5	160, 200-201
	6	296
	7	342
Malacosoma sp. -----	2	46-47
	5	160
Mamestra picta Harr. -----	5	189
Mansonina perturbans Walk. -----	10	533
Margarodes spp. -----	5	207
Maruca testulalis Geyer -----	3	94
Mecistorhinus tripterus (F.) -----	9 (Sup.)	485
Megalopta idalia Smith -----	9 (Sup.)	489
Megalopyge opercularis S. & A. -----	8	388
	9	423
Melanocallis caryaefoliae Davis -----	3	74
	4	121
	8	366-367
	9	403
Melanophila fulvoguttata Harr. -----	9	417
Melanoplus angustipennis Dodge -----	5 (Sup.)	219-257
Melanoplus bivittatus Say -----	5	161, 163
	5 (Sup.)	217-259
	6	263-266
	7	318
	9	396
	10	511, 512, 513
Melanoplus bowditchi Scudd. -----	5 (Sup.)	219, 228, 231, 233, 241, 255
Melanoplus confusus Scudd. -----	5 (Sup.)	228, 231, 245, 255
Melanoplus dawsoni Scudd. -----	5 (Sup.)	220-255
Melanoplus devastator Scudd. -----	5	163
	6	266
Melanoplus differentialis Thos. -----	4	98
	5	163
	5 (Sup.)	217-259
	6	263, 266
	8	356
	9	396, 397
	10	511, 512, 513

Melanoplus dodgei Thos. -----	5 (Sup.)	220,221
Melanoplus femur-rubrum Deg. -----	4	98
	5	162,163
	5 (Sup.)	220-259
	6	263,265,266
	7	318
	8	356
	9	396
	10	513
Melanoplus flavidus Scudd. -----	5 (Sup.)	220
Melanoplus fluviatilis Brun. -----	5 (Sup.)	220,221
Melanoplus gladstoni Scudd. -----	5 (Sup.)	220,245,255,258
Melanoplus infantilis Scudd. -----	5 (Sup.)	220,221,223,228,231, 233,235,239,241,245, 255,259
Melanoplus keeleri Thos. -----	5 (Sup.)	220
Melanoplus keeleri luridus Dodge -----	5 (Sup.)	228,255
Melanoplus lakinus Scudd. -----	5 (Sup.)	220,221,235,246,247, 258
Melanoplus marginatus Scudd. -----	5 (Sup.)	258
Melanoplus mexicanus Sauss. -----	4	98
	5	161,163
	5 (Sup.)	218-259
	6	263-266
	7	318
	8	356
	9	396
	10	511,512,513
Melanoplus mexicanus spretus Walsh -----	6	265
Melanoplus occidentalis Thos. -----	5 (Sup.)	220,231,235,246,255
Melanoplus packardii Scudd. -----	5 (Sup.)	220-258
	7	318
	9	396
Melanoplus pictus Scudd. -----	5 (Sup.)	258
Melanoplus spp. -----	7	317,318
Melanotus sp. -----	5	166
Melanotus spp. -----	6	268
Melittia satyriniformis Hbn. -----	5	192
	7	334
Meloe impressus Kby. -----	4	131
Meloidae -----	5	185
	6	262
	7	314
Melophagus ovinus L. -----	4	146
Membracis mexicana Guer. -----	9 (Sup.)	478
Mermiria maculipennis Rehn -----	5 (Sup.)	220,235,243,246,249, 250,255
Mermiria maculipennis mcclungi Rehn -----	5 (Sup.)	239,242
Mermiria neomexicana Thos. -----	5 (Sup.)	223
Meromyza americana Fitch -----	5	169
	7	315
Mesocondyla concordalis Hbn. -----	9 (Sup.)	492
Mestobregma kiowa Thos. -----	5 (Sup.)	220-259
	6	264,265

Metamasius sericeus (Oliv.) -----	9 (Sup.)	451
Metator pardalinus Sauss. -----	5 (Sup.)	220, 232, 235, 236, 237, 242, 243, 246, 247, 255, 257
	6	264
Meteorus acronyctae Mues. -----	6	302
Meteorus nigricolis Thoms. -----	9 (Sup.)	503
Metriona angularis (Champ.) -----	9 (Sup.)	443
Metriona bicolor F. -----	5	196
	7	335
Metriona bivittata Say -----	5	196
Metriona emarginata (Boh.) -----	9 (Sup.)	444
Metriona judaica (F.) -----	9 (Sup.)	444
Metriona propinqua (Dej.) -----	9 (Sup.)	444
Metriona puella (Boh.) -----	9 (Sup.)	444
Metriona zona (F.) -----	9 (Sup.)	444
Metrosura ruficeps Scudd. -----	9 (Sup.)	497
Microbracon brevicornis Wesm. -----	9 (Sup.)	503
Microbracon terebella (Wesm.) -----	10	536
Microgaster tibialis Nees -----	9 (Sup.)	499-501, 503, 505
Micrutalis ephippium (Burm.) -----	9 (Sup.)	478
Micrutalis lugubrina (Stal) -----	9 (Sup.)	478
Mineola indigenella Zell. -----	5	177
	7	328
Mineola vaccinii Riley -----	7	329
Miridae -----	4	114
Miris dolabratus L. -----	4	110
Mollusca -----	3	83
Monanthia monotropidia Stal -----	9 (Sup.)	485
Monarthropalpus buxi Laboulb. -----	2	51
	9	420
Monellia costalis Fitch -----	3	74
	4	121
Monellia nigropunctata Granovsky -----	3	74
	4	121
Monachamus marmorator Kby. -----	7	345
Monocrepidius aversus Lec. -----	9 (Sup.)	447
Monocrepidius vespertinus F. -----	5	166
	6	268
Monomorium minimum Buckl. -----	6	308
	7	352
	8	390
Monomorium pharaonis L. -----	8	390
Monophadnoides rubi Harr. -----	5	183
	6	261, 280
Monoptilota pergratialis Hulst -----	8	371
Mordwilkoja vagabunda Walsh -----	2	49
	6	303
Mormidea notulata (H.S.) -----	9 (Sup.)	485
Murgantia histrionica Hahn -----	1	16
	2	43
	3	81
	4	130
	8	373

Murgantia histrionica Hahn (Cont'd)	9	410
	10	509
Mycetophilidae -----	3	64
Myelois venipars Dyar -----	4	123
	5	183
Myochrous denticollis Say -----	5	173
Myodocha unispinosa Stal -----	9 (Sup.)	485
Myzocallis kahawaluokalani Kirk. -----	4	142
Myzocallis walshii Monell -----	4	139
Myzus cerasi F. -----	3	72
	5	132
	6	280
Myzus persicae Sulz. -----	1	10
	2	43
	3	82
	4	118
	5	195
	9	411
Napomyza chrysanthemi Kowarz -----	4	143
Nasutermes costalis Holmg. -----	9 (Sup.)	497
Nemorilla floralis Fall. -----	9 (Sup.)	503
Naupactus leucoloma Boh. -----	8	359
	10	535
Neoclytus caprea Say -----	2	47
	4	137
Neodiprion abbotii Leach -----	9	417
Neodiprion pinetum Nort. -----	6	302
Neodiprion polytomum Htg.		
See Diprion polytomum Htg.		
Neodiprion sp. -----	6	302
Neolecanium cornuparvum Thro -----	4	143
	7	350
	9	421
Neotetranychus buxi Garman -----	8	386
Neoxabea bipunctata (Deg.) -----	9 (Sup.)	495
Nephelodes emmedonia Cram. -----	4	99
Neurocolpus mexicanus Dist. -----	9 (Sup.)	486
Nezara viridula L. -----	1	13
	2	41
	8	368
	9	406
	9 (Sup.)	486
Noctuidae -----	1	13
	2	27,29
	3	59-60
	4	95,99-101
	5	157,159,164-165
	8	357
	10	524-525
Nodonota irazuensis (Jacoby) -----	9 (Sup.)	444-445
Nodonota lateralis (Jacoby) -----	9 (Sup.)	445
Nodonota puncticollis Say -----	4	143
	5	157,174
Notoxus eximius Champ. -----	9 (Sup.)	438

Nygmia phaeorrhoea Donov. -----	4	137
	7	342
	10	532
Nysius californicus Stal -----	9 (Sup.)	486
Nysius ementitus Dist. -----	9 (Sup.)	486
Nysius ericae Schill. -----	1	13
	2	41
	4	110,125-126
	5	158
	5	184
	6	262,283-284
	7	330
	8	373
	9	406-407
Oberea bimaculata Oliv. -----	1	10
	4	119
	5	209
Oberea schaufi Lec. -----	8	384
Ochrosidia immaculata Oliv. -----	5	167
	6	269
Ochresthes pollinosus (Chevr.) -----	9 (Sup.)	439
Ochrosidia villosa Burm. -----	9	419
Oecanthus nigricornis quadripunctatus Beut. -----	3	58,73
Oecanthus niveus Deg. -----	2	38
Oecleus addendus Fowl. -----	9 (Sup.)	474
Oedaleonotus borckii pacificus Scudd. ---	5 (Sup.)	258
Oedaleonotus enigma Scudd. -----	5	163
	5 (Sup.)	258
	6	266
Oedionychis reichei Harold -----	9 (Sup.)	445
Oedionychis tenuicincta Jacoby -----	9 (Sup.)	446
Oligia fractilinea Grote -----	5	164
Oncideres cingulatus Say -----	8	366
	9	403
Oncometopia undata (F.) -----	9 (Sup.)	466
Opeia obscura Thos. -----	5 (Sup.)	220-255
Opsiphanes corrosus Stict. -----	9 (Sup.)	492
Orchestes pallicornis Say -----	3	70
	4	115
Orchestes rufipes Lec. -----	8	385
Ornithodoros megnini Duges -----	2	54
Ornithodoros turnicata Duges -----	5	210
Orphulella pelidna Burm. -----	5 (Sup.)	228,246
Orphulella speciosa Scudd. -----	5 (Sup.)	228,232,239,242,246
Orthaea bilbota (Say) -----	9 (Sup.)	486
Orthezia insignis Dougl. -----	9 (Sup.)	470
Ortholmus jamaicensis Dallas -----	9 (Sup.)	486
Oryzaephilus surinamensis L. -----	8	391
Osbornellus mexicanus Osb. -----	9 (Sup.)	466
Oxyptilus periscelidactylus Fitch -----	4	120
	5	158,183
Pachybrachys femoratus (Oliv.) -----	9 (Sup.)	446
Pachycoris torridus (Scop.) -----	9 (Sup.)	486
Pachynematus ocreatus Harr. -----	7	316

<i>Pachypsylla gemma</i> Riley -----	4	138
<i>Pachystethus marginata</i> F. -----	5	179
<i>Pachystethus micans</i> (Furm.) -----	9 (Sup.)	443
<i>Pachystethus nitidula</i> (Blanch.) -----	9 (Sup.)	448
<i>Pachyzancla bipunctalis</i> F. -----	9	406
<i>Padaeus viduus</i> (Voll.) -----	9 (Sup.)	486
<i>Paleacrita vernata</i> Peck -----	2	28,46
	4	135
	5	199
	6	297
<i>Panchlora cubensis</i> Sauss. -----	9 (Sup.)	495
<i>Pangaeus piceatus</i> Stal -----	9 (Sup.)	487
<i>Pantomorus femoratus</i> Sharp -----	9 (Sup.)	451
<i>Papaipema nebris nitela</i> Guen. -----	5	157,171
	6	274
<i>Papilio polydamas</i> L. -----	9 (Sup.)	492
<i>Papilio polyxenes stabilis</i> R. & J. -----	9 (Sup.)	493
<i>Papilio thoas autocles</i> Rothsch. -----	9 (Sup.)	493
<i>Paracalocoris annulatus</i> Dist. -----	9 (Sup.)	487
<i>Paracalocoris jurgiosus</i> (Stal) -----	9 (Sup.)	487
<i>Paracalocoris molliculus</i> Dist. -----	9 (Sup.)	487
<i>Parachartergus apicalis</i> (F.) -----	9 (Sup.)	491
<i>Paraclemensia acerifoliella</i> Fitch -----	9	417
<i>Paralechia pinifoliella</i> Chamb. -----	2	48
	4	140
	5	206
<i>Paralucilia fulvipes</i> Macq. -----	7	314,353-354
<i>Paranthene polistiformis</i> Harr. -----	3	73
<i>Paratetranychus citri</i> McG. -----	2	40
	3	76
	6	282
<i>Paratetranychus pilosus</i> C. & F. -----	2	27,37
	3	70
	4	115
	5	179
	6	278
	7	327
	8	364
<i>Paratetranychus uniunguis</i> Jacobi -----	4	141
<i>Paratettix mexicanus abortus</i> Hancock -----	9 (Sup.)	496
<i>Paratrionza cockerelli</i> Sulc. -----	4	127
	6	286-287
	9	395,408
<i>Pardalophora haldemanii</i> Scudd. -----	5	162,163
<i>Parharmonia pini</i> Kellicott -----	4	140
	6	302
<i>Parlatoria oleae</i> Colv. -----	2	50
<i>Parlatoria pergandii</i> Comst. -----	2	50
<i>Pectinophora gossypiella</i> Saund. -----	2	28,45
	3	83
	6	294-295
	7	314,338
	8	380-381
	9	412-413
	10	521

Pegomyia hyoscyami Panz -----	5	194-195
Pemphigus vagabundus Walsh.		
<u>See</u> Mordwilkoja vagabunda Walsh.		
Peranabrus scabricollis Thos.-----	6	267
Peregrinus maidis Ashm.-----	7	324
	9 (Sup.)	474
Periclista sp. -----	4	121
Phaeogenes nigridens Wesm. -----	9 (Sup.)	503
Phenacoccus cevalliae Ckll. -----	10	523
Phenacoccus gossypii T. & C. -----	6	282
Phera obtusifrons Fowl. -----	9 (Sup.)	466
Philaenus leucophthalmus L. -----	4	109
Philonthus feralis Erichs. -----	9 (Sup.)	449
Phlegethontius quinque maculata Haw.		
<u>See</u> Protoparce quinque maculata Haw.		
Phlegethontius sexta Johan.		
<u>See</u> Protoparce sexta Johan.		
Phlibostroma quadrimaculatum Thos.-----	5 (Sup.)	220-259
Phloeosinus cristatus Lec. -----	8	386
Phloeosinus dentatus Say -----	4	142
Phlyctaenia rubigalis Guen. -----	2	44
Phobetron hipparchia Cram. -----	9 (Sup.)	493
Phoetaliotes nebrascensis Thos. -----	5 (Sup.)	220-256
Phormia sp. -----	4	145
Phorocera erecta Coq. -----	9 (Sup.)	503
Phorodon humuli Schr. -----	1	17
	4	119
Phryganidia californica Pack. -----	5	205
Phyllaphis fagi L. -----	4	137
	9	416
Phyllocoptes oleivorus Ashm. -----	1	12
	2	40
	3	76
	4	122
	6	282
	8	367
	9	404
Phyllophaga bipertita Horn -----	4	102
Phyllophaga calceata Lec. -----	2	29
Phyllophaga congrua Lec. -----	2	29
Phyllophaga crassissima Blanch. -----	2	29
Phyllophaga ephilida Say -----	6	268
Phyllophaga fusca Froel. -----	4	102
Phyllophaga futilis Lec. -----	4	102
Phyllophaga hirticula Knoch -----	4	102
Phyllophaga hirtiventris Horn -----	2	29
Phyllophaga horni Smith -----	4	102
Phyllophaga inversa Horn -----	4	102
Phyllophaga lanceolata Say -----	9	398
Phyllophaga micans Knoch -----	3	61
	5	166
Phyllophaga praetermissa Horn -----	2	29
Phyllophaga profunda Blanch. -----	2	29
Phyllophaga rubiginosa Lec. -----	2	29

Phyllophaga spp. -----	1	5
	2	29
	3	61
	4	95, 102-103
	5	159-160, 166-167, 206
	6	268
	7	320
	8	358-359
	9	398
Phyllophaga tristis F. -----	3	61
	4	102
	5	166, 167
Phyllotreta pusilla Horn -----	6	284
Phyllotreta vittata F. -----	4	123
	5	185
	7	333
	8	373
Phylloxera caryaecaulis Fitch -----	5	204
Phylloxera caryaeseptem Shim. -----	8	367
Phylloxera devastatrix Perg. -----	4	121
Phylloxera notabilis Perg. -----	4	121
Phyrdenus divergens (Germ.) -----	9 (Sup.)	451
Phytodecta pallida L. -----	5	207
Phytophaga destructor Say -----	1	5, 6
	2	27, 31
	3	57, 63
	4	95, 106
	5	157, 169
	6	261, 271
	6 (Sup.)	309-311
	7	313, 322-323
	8	359-360
	9	398
	10	509, 514-515
Phytophaga rigida O. S. -----	3	87
Phytophaga ulmi Beautm. -----	8	382
Pieris elodia Boisd. -----	9 (Sup.)	493
Pieris monuste L. -----	3	60
Piesma cinerea (Say) -----	9 (Sup.)	487
Pineus strobil Htg. -----	2	48
	4	140
Pissodes approximatus Hopk. -----	6	302
	7	346
	8	384
Pissodes deodarae Hopk. <u>See</u> P. nemorensis Germ.		
Pissodes nemorensis Germ. -----	1	18
	2	52
	8	386
Pissodes strobil Peck -----	3	87
	7	346
Plagioderia versicolora Laich. -----	4	141
	7	347
Platycarenum humilis (H. S.) -----	9 (Sup.)	487
Platymetopius frontalis Van D. -----	9 (Sup.)	466-467

<i>Platyptilia carduidactyla</i> Riley -----	6	292
<i>Platysamia cecropia</i> L. -----	7	316,349
<i>Platytylellus latipennis</i> (Stal) -----	9 (Sup.)	487
<i>Plecia aterrima</i> Bell -----	9 (Sup.)	453
<i>Plodia interpunctella</i> Hbn. -----	3	92
	9	427
<i>Plutella maculipennis</i> Curt. -----	1	15
	2	53
	4	129
	5	189
	7	333
	8	372
	9	410
	9 (Sup.)	493
<i>Podosesia syringae</i> Harr. -----	4	142
	8	387
<i>Poecilocapsus lineatus</i> F. -----	6	304
<i>Pogonomyrmex barbatus</i> F. Smith -----	6	308
<i>Pogonomyrmex occidentalis</i> Cress. -----	4	148
	5	212
<i>Polistes major</i> Beauv. -----	9 (Sup.)	490
<i>Pollenia rudis</i> F. -----	3	89
<i>Polychrosis botrana</i> Schiff. -----	1	24
<i>Polychrosis viteana</i> Clem. -----	8	365
<i>Polygonia interrogationis</i> F. -----	6	299
<i>Polymerus cuneatus</i> (Dist.) -----	9 (Sup.)	487
<i>Pomphopoea sayi</i> Lec. -----	4	119
	5	207
<i>Pontia monuste</i> L. -----	5	165
<i>Popillia japonica</i> Newm. -----	2	29
	3	58, 61-62
	4	103
	5	167
	6	261,269-270
	7	313,320-321
	10	510,528-529
<i>Porosagrotis orthogonia</i> Morr. -----	4	100,101
	5	164
	7	314,319
	9	394
<i>Porthetria dispar</i> L. -----	2	47
	6	296-297
	7	342
	10	510,531
<i>Potnia brevicornis</i> Fowl. -----	9 (Sup.)	478
<i>Prionomerus calceatus</i> Say -----	4	142
<i>Prionoxystus robiniae</i> Peck -----	4	137
	8	383
<i>Prionoxystus</i> sp. -----	6	298
<i>Prionus californicus</i> Mots. -----	4	123
<i>Prionus heroicus</i> Semen -----	4	123
<i>Prionus laticollis</i> Drury -----	4	139
<i>Pristiphora banksi</i> Marl. -----	7	345
<i>Pristiphora geniculata</i> Htg. -----	6	262,301
	7	345

<i>Prodenia eridania</i> Cram. -----	1	16
<i>Prodenia ornithogalli</i> Guen. -----	5	165
<i>Protalebra decorata</i> Osborn -----	9 (Sup.)	467
<i>Protoparce quinquemaculata</i> Haw. -----	5	187
	6	293
	8	370, 376
	9	412
<i>Protoparce sexta</i> Johan. -----	5	187
	6	286, 293
	8	370, 376
	9	412
<i>Protoparce</i> spp. -----	7	331, 336
	8	375-376
	9	407
<i>Proxys punctulatus</i> (Beauv.) -----	9 (Sup.)	487
<i>Proxys victor</i> (F.) -----	9 (Sup.)	488
<i>Psallus seriatus</i> Reut. -----	2	28, 45-46
	4	134-135
	5	197-198
	6	295
	7	341
	9	415
	10	522, 536
<i>Pseudaonidea paeoniae</i> Ckll. -----	9	420
<i>Pseudischnaspis bowreyi</i> (Ckll.) -----	9 (Sup.)	470
<i>Pseudococcus citri</i> Risso -----	1	11
	6	282
	9	420
	9 (Sup.)	470
<i>Pseudococcus comstocki</i> Kuw. -----	10	536
<i>Pseudococcus gahani</i> Green -----	1	11
<i>Pseudococcus maritimus</i> Ehrh. -----	1	11
<i>Pseudococcus nipae</i> (Mask.) -----	9 (Sup.)	470
<i>Pseudococcus</i> sp. -----	7	325
<i>Pseudococcus virgatus</i> (Ckll.) -----	9 (Sup.)	470
<i>Pseudogaurax signata</i> Loew -----	10	536
<i>Pseudophilippa quaintancii</i> Ckll. -----	6	303
<i>Pseudothrips</i> sp. -----	10	523
<i>Psila rosae</i> F. -----	5	194
<i>Psilocorsia faginella</i> Chamb. -----	9	416
<i>Psorosina hammondi</i> Riley -----	7	327
<i>Psyche nigrita</i> B. & McD. -----	9	393, 418
<i>Psyllia pyricola</i> Foerst. -----	3	72
	4	118-119
	5	182
	6	279
<i>Pterichthya pisciformis</i> Thomson -----	9 (Sup.)	439
<i>Pteronidea ribesii</i> Scop. -----	3	73
	4	120
<i>Pteronidea ventralis</i> Say -----	4	141
<i>Pterygia bituberculata</i> Fowl. -----	9 (Sup.)	478
<i>Ptinus brunneus</i> Duft. -----	4	148
<i>Ptinus tectus</i> Boieldieu -----	2	56
<i>Ptychodes lecontei</i> Thomson -----	9 (Sup.)	439

<i>Pulex irritans</i> L. -----	3	89
	7	351
<i>Pulvinaria psidii</i> Mask. -----	9 (Sup.)	470
<i>Pulvinaria vitis</i> L. -----	5	204-205
	6	301
<i>Pycnoderes atratus</i> (Dist.) -----	9 (Sup.)	488
<i>Pycnoderes incurvus</i> (Dist.) -----	9 (Sup.)	488
<i>Pyrausta nubilalis</i> Hbn. -----	1	24
	2	32
	4	107
	4 (Sup.)	149-156
	7	315
	8	355,361
	9	395,407
	9 (Sup.)	429-436, 499-505
	10	513
<i>Pyrota engelmanni</i> Lec. -----	5	202
<i>Recurvaria apictripunctella</i> Clem. -----	3	86
<i>Repipta flavicans</i> (Amy. & Serv.) -----	9 (Sup.)	488
<i>Repipta taurus</i> (F.) -----	9 (Sup.)	488
<i>Reticulitermes flavipes</i> Kol. -----	1	22
	2	55
	3	91
	4	147
	7	354
<i>Reticulitermes</i> spp. -----	1	22
	2	55
	3	91
	4	97,147-148
	5	212
<i>Reticulitermes tibialis</i> Banks -----	1	22
	3	91
	4	148
	5	212
	7	354
<i>Rhagoletis cingulata</i> Loew -----	5	182
	6	279
<i>Rhagoletis fausta</i> O. S. -----	5	182
<i>Rhagoletis pomonella</i> Walsh -----	5	178
	6	277-278
	9	402
<i>Rhinospathe albomarginata</i> Chevr. -----	9 (Sup.)	451
<i>Rhipicephalus sanguinius</i> Latr. -----	7	353
<i>Rhipipteryx biolleyi</i> Sauss. -----	9 (Sup.)	496
<i>Rhizoecus coffeae</i> Laing -----	9 (Sup.)	470
<i>Rhizoecus terrestris</i> Newst. -----	1	18
<i>Rhizoglyphus hyacinthi</i> Bdv. -----	7	350
	9	421
<i>Rhodobaenus tredecimpunctatus</i> Ill. -----	8	386
<i>Rhopalictus lachnes</i> Bachal -----	9 (Sup.)	490
<i>Rhopalosiphum melliferum</i> Hottes -----	5	208
<i>Rhopalosiphum prunifoliae</i> Fitch -----	3	66-67
	4	113

Rhopalosiphum pseudobrassicae Davis -----	1	16
	2	44
	8	374
	9	411
	9 (Sup.)	454
Rhopalosiphum sp. -----	4	134
Rhopobota naevana ilicifoliana Kearf. -----	6	304
Rhyacionia bouliana Schiff. -----	4	140
	5	205
	6	302
Rhyacionia frustrana Comst. -----	5	206
	7	346
Rhodobaenus stigmaticus (Fahraeus) -----	9 (Sup.)	452
Rhodobaenus tridecempunctatus graphicus Champ. -----	9 (Sup.)	452
Rhynchites bicolor F. -----	5	209
	6	305
Rhynchosciara brevicornis Guer. -----	9 (Sup.)	453
Richardia podagrica (F.) -----	9 (Sup.)	453
Richardia telescopica Gerst. -----	9 (Sup.)	453
Rodolia cardinalis Muls. -----	2	50
Romalea microptera Beauv. -----	5	163
	7	318
Saccharosydne saccharivora (Westwood) -----	10	535
Saissetia hemisphaerica Targ. -----	4	143
	9 (Sup.)	471
Saissetia oleae Bern. -----	1	18
	9 (Sup.)	471
Saperda candida Fab. -----	7	315
Saperda vestita Say -----	4	139
	7	345
Sarcophaga kellyi Ald. -----	5	163
	6	265
Scapteriscus acletus R. & H. -----	5	206
Scapteriscus vicinus Scudd. -----	2	41
Sciara inconstans Fitch -----	9	419
Scirtothrips citri Moul. -----	2	39
	4	122
Schistocerca alutacea Harr. -----	5 (Sup.)	225
Schistocerca americana Drury -----	4	98
	5	162
	5 (Sup.)	223
Schistocerca impleta Walk. -----	9 (Sup.)	496
Schistocerca lineata Scudd. -----	5 (Sup.)	220, 223, 232, 246
Schistocerca shoshone Thos. -----	5 (Sup.)	249
Schistocerca vaga Scudd. -----	5 (Sup.)	258
Schistocerca venusta Scudd. -----	5 (Sup.)	258
Schizura concinna S. & A. -----	7	349
	8	364
	9	401
Schoenicus panamensis Champ. -----	9 (Sup.)	449
Scolia dubia Say -----	7	348
	8	385
Scolytus multistriatus Marsham -----	7	344
	9	393, 416
	10	530-531

<i>Scolytus rugulosus</i> Ratz. -----	5	120
	9	402
<i>Scutigerella immaculata</i> Newp. -----	1	14
<i>Selenothrips rubrocinctus</i> (Giard) -----	9 (Sup.)	497
<i>Sericothrips variabilis</i> Beach -----	4	135
	10	523
<i>Sesamia</i> sp. -----	1	24
<i>Sibine apicalis</i> Dyar -----	9 (Sup.)	493
<i>Sibine ophelians</i> Dyar -----	9 (Sup.)	493
<i>Sibine stimulea</i> Clem. -----	8	388
<i>Simulium</i> sp. -----	4	146
	5	211
<i>Sipha flava</i> Forbes -----	3	94
<i>Sitona prominens</i> Csy. -----	5	180
<i>Sitophilus granaria</i> L. -----	9	425
<i>Sitophilus oryzae</i> L. -----	9	425
<i>Sitotroga cerealella</i> Oliv. -----	4	148
<i>Sogata furcifera</i> Horv. -----	9 (Sup.)	474
<i>Solenopsis geminata</i> (F.) -----	9 (Sup.)	490
<i>Solenopsis xyloni</i> McCook -----	1	20
	2	56
	3	92
	6	308
	7	352
	8	390
<i>Spanbergiella mexicana</i> Bak. -----	9 (Sup.)	467
<i>Spaniotoma</i> sp. -----	1	14
<i>Spharagemon bolli</i> Scudd. -----	5 (Sup.)	220, 242, 246
<i>Spharagemon collare</i> Scudd. -----	5 (Sup.)	220-256
<i>Spharagemon equale</i> Say -----	5 (Sup.)	220-256
<i>Sphictyrtus longirostris</i> Dist. -----	9 (Sup.)	488
<i>Spilochalcis femorata</i> (F.) -----	9 (Sup.)	490
<i>Spilonota ocellana</i> Schiff. -----	5	177
<i>Spongophorus ballista</i> (Germ.) -----	9 (Sup.)	478
<i>Staluptus marginalis</i> Burm. -----	9 (Sup.)	488
<i>Steirarrhinus nebulosus</i> Champ. -----	9 (Sup.)	452
<i>Stenoma sororia</i> (Zell.) -----	9 (Sup.)	493
<i>Stenomacra marginella</i> (H. S.) -----	9 (Sup.)	488
<i>Stephanitis pyrioides</i> Scott -----	8	386
<i>Stephanitis rhododendri</i> Horv. -----	2	53
	5	209
<i>Sterictophora cellularis</i> Say -----	5	196
<i>Stethophyma gracile</i> Thos. -----	5 (Sup.)	228
<i>Stictocephala festina</i> (Say) -----	9 (Sup.)	479
<i>Stilpnochloa azteca</i> (Sauss.) -----	9 (Sup.)	497
<i>Stilpnotia salicis</i> L. -----	5	201
	6	262, 297
	7	316, 342
	10	532
<i>Stirellus bicolor</i> (Van D.) -----	9 (Sup.)	467
<i>Stomacoccus platani</i> Ferris -----	6	303
<i>Stomoxys calcitrans</i> L. -----	4	145
	5	211
	6	307
	9	424

Strigoderma rutelina Bates -----	9 (Sup.)	448
Strongylium permodicum Maklin -----	9 (Sup.)	449
Synanthedon acerni Clem. -----	9	417
Synanthedon bibiopennis Bdv. -----	4	132
Syntomeida epialis Walk. -----	2	52
	5	208
	6	305
Systema blanda Melsh. -----	5	184
	6	284
Syrbula admirabilis Uhl. -----	5 (Sup.)	223
Tabanus sp. -----	3	90
Tachypterellus quadrigibbus Say -----	4	115
	5	158, 178
	7	315
Taeniothrips inconsequens Uzel -----	2	38
	3	72
	4	119
Taeniothrips gladioli M. & S.		
<u>See</u> T. simplex Morison.		
Taeniothrips simplex Morison -----	1	19
	2	52
	6	304
	7	315, 349
	8	387
	9	395
Taeniopoda varipennis Rehn -----	9 (Sup.)	497
Tarsonemus bancrofti Michael -----	1	5, 8
Tarsonemus floricolus C. & F. -----	8	376
Tarsonemus pallidus Banks -----	7	334, 348
Tarsonemus sp. -----	8	376
Tatua tatua (Cuvier) -----	9 (Sup.)	490
Tenthredinidae -----	4	141
Tetracnemus pretiosus Timb. -----	1	11
Tetraeuresta obscuriventris Loew -----	9 (Sup.)	453
Tetralopha robustella Zell. -----	8	384
	9	417
Tetramorium caespitum L. -----	4	148
Tetranychus sexmaculatus Riley -----	3	75-76
	4	96, 123
Tetranychus telarius L. -----	1	17, 19
	2	30, 44
	3	62
	4	95, 104
	5	168
	6	261, 270 -271
	7	321-322
	9	415
Thalassa glauca (Muls.) -----	9 (Sup.)	446
Thamnotettix comatus (Ball) -----	9 (Sup.)	467
Thamnotettix fasciaticollis (Stal) -----	9 (Sup.)	468
Thecodiplosis mosellana Gehin -----	10	516
Thrips panicus Moulton. -----	10	523

Thrips tabaci Lind. -----	1	14
	3	94
	4	131, 135
	5	193
	6	289, 291
	7	334
	8	374
	10	523
Thylodrias contractus Mots. -----	9	426
Thyridopteryx ephemeræformis Haw. -----	2	47
	3	85
	6	297
	7	343
Thysanoptera -----	4	143
	5	198, 209
	6	295
	7	341
	9	420
	10	510, 523
Tineola biselliella Hum. -----	8	392
Tineola uterella Wlsm. -----	5	212
Tipula cunctans Say -----	3	65
Tomaspis bicincta Say -----	9 (Sup.)	455
Tomaspis inca (Guer.) -----	9 (Sup.)	455
Tomaspis postica (Walk.) -----	9 (Sup.)	455
Tomaspis simulans (Walk.) -----	9 (Sup.)	456
Tortrix citrana Fern. -----	4	122
Tortrix pallorana Rob. -----	6	262, 303
Toumeyella liriodendri Gmel. -----	2	50
Toumeyella numismaticum Pettit & McDonald	4	140
Toxoptera aurantiae Boyer -----	9 (Sup.)	455
Toxoptera graminum Rond. -----	2	27, 31
Toxotrypana curvicauda Gerst. -----	1	11
	3	75
Trachelus tabidus F. -----	6	271-272
	8	360
	10	515, 535
Tremex columba L. -----	4	138
Triatoma sanguisuga Lec. -----	7	352
Trichopoda pennipes F. -----	9	406
Trichogramma minutum Riley -----	3	65
Trichogramma sp. -----	3	81
Trichiocampus viminalis Fall -----	6	303
	7	347
Trifidaphis phaseoli Pass. -----	4	134
Trigona amalthea (Oliv.) -----	9 (Sup.)	490
Trigona cupira Smith -----	9 (Sup.)	490
Trigona townsendi Okll. -----	9 (Sup.)	420
Trimerotropis agrestis McNeill -----	5 (Sup.)	235, 246
Trimerotropis campestris McNeill -----	5 (Sup.)	220, 228, 232, 242
Trimerotropis formosus Say -----	5 (Sup.)	220
Trimerotropis laticincta Sauss. -----	5 (Sup.)	220, 242, 246
Trimerotropis pallidipennis Burm. -----	5 (Sup.)	220, 232, 242,
		246, 256, 258

Trimerotropis pistrinaria Sauss. -----	5 (Sup.)	256
Trimerotropis sparsa Thos. -----	5 (Sup.)	220, 221, 232
Trimerotropis suffusus Scudd. -----	5 (Sup.)	220
Trimerotropis vinculata Scudd. -----	5	163
	5 (Sup.)	248-250, 258
Trogoderma sp. -----	1	23
Trogoderma versicolor Creutz. -----	1	23
Trombicula irritans Riley -----	6	306
Tuberculatus ulmifolii Monell -----	6	300
	7	344
Tyloderma fragariae Riley -----	5	194
Typhlocyba pomaria McAtee -----	4	114
	8	364
Umbonia crassicornis (Amy. & Serv.) -----	9 (Sup.)	479
Utetheisa bella L. -----	7	325
	9	400
Utetheisa ornatrix (L.) -----	9 (Sup.)	493
Vanduzee segmentata. (Fowl.) -----	9 (Sup.)	479, 490
Vitula serratilineella Rag. -----	3	92
Wasmannia auropunctata Roger -----	8	390
Winthemia sp. -----	9	423
Xanthippus corallipes panthorinus Scudd.-	6	266
Xestocephalus tessellatus Van D. -----	9 (Sup.)	468
Xylastodoris luteolus Barber -----	6	305
	8	387
Xyloryctes satyrus F. -----	6	298
Xylotrechus quadrimaculatus Hald. -----	7	343
Zelus ruficeps Stal -----	9 (Sup.)	442
Zenillia mitis Meig. -----	9 (Sup.)	503
Zenillia roseanae Br. & Berg. -----	9 (Sup.)	503
Zeuzera pyrina L. -----	4	137
Zicca taeniola (Dallas) -----	9 (Sup.)	489
Zonosemata electa Say -----	6	292
	7	335
Zophodia grossulariae Riley -----	4	120
Zygogramma exclamationis F. -----	7	350

We wish to urge our collaborators to use the common names accepted by the American Association of Economic Entomologists. They are indicated by the letters a.n.o. (americano nomina officinale).

Alder flea beetle a.n.o. -----	<i>Altica bimarginata</i> Say
Alfalfa caterpillar a.n.o. -----	<i>Eurymus eurythema</i> (Bdv.)
Alfalfa looper a.n.o. -----	<i>Autographa californica</i> (Speyer)
Alfalfa weevil a.n.o. -----	<i>Hypera postica</i> (Gyll.)
American dog tick a.n.o. -----	<i>Dermacentor variabilis</i> (Say)
Angoumois grain moth a.n.o. -----	<i>Sitotroga cerealella</i> (Oliv.)
Apple curculio a.n.o. -----	<i>Tachypterellus quadrigibbus</i> (Say)
Apple flea weevil a.n.o. -----	<i>Orchestes pallicornis</i> Say
Apple grain aphid a.n.o. -----	<i>Rhopalosiphum prunifoliae</i> (Fitch)
Apple leaf skeletonizer a.n.o. -----	<i>Psorosina hammondi</i> (Riley)
Apple maggot a.n.o. -----	<i>Rhagoletis pomonella</i> (Walsh)
Arborvitae aphid -----	<i>Lachnus thujaefilina</i> Del Guer.
Arborvitae leaf miner a.n.o. -----	<i>Argyresthia thuiella</i> (Pack.)
Argentine ant a.n.o. -----	<i>Iridomyrmex humilis</i> Mayr
Army cutworm a.n.o. -----	<i>Chorizagrotis auxiliaris</i> (Grote)
Armyworm a.n.o. -----	<i>Cirphis unipuncta</i> (Haw.)
Artichoke plume moth a.n.o. -----	<i>Platyptilia carduidactyla</i> (Riley)
Asiatic garden beetle a.n.o. -----	<i>Autoserica castanea</i> (Arrow)
Asparagus beetle a.n.o. -----	<i>Crioceris asparagi</i> (L.)
Asparagus miner a.n.o. -----	<i>Agromyza simplex</i> Loew
Azalea lacebug -----	<i>Stephanitis pyrioides</i> Scott
Azalea scale -----	<i>Eriococcus azaleae</i> Comst.
Bagworm a.n.o. -----	<i>Thyridopteryx ephemeraeformis</i> (Haw.)
Balsam fir sawyer a.n.o. -----	<i>Monochamus marmorator</i> Kby.
Banded ash borer -----	<i>Neoclytus caprea</i> Say
Banded cucumber beetle a.n.o. -----	<i>Diabrotica balteata</i> Lec.
Bat bedbug -----	<i>Cimex pilosellus</i> Horv.
Beaked willow gall -----	<i>Phytophaga rigida</i> O. S.
Bean aphid a.n.o. -----	<i>Aphis rumicis</i> L.
Bean leaf beetle a.n.o. -----	<i>Cerotoma trifurcata</i> (Forst.)
Bean leaf roller a.n.o. -----	<i>Goniurus proteus</i> (L.)
Bean thrips a.n.o. -----	<i>Heliothrips fasciata</i> Perg.
Bedbug a.n.o. -----	<i>Cimex lectularius</i> L.
Beech scale a.n.o. -----	<i>Cryptococcus fagi</i> (Baer.)
Beet armyworm a.n.o. -----	<i>Laphygma exigua</i> (Hbn.)
Beet leafhopper a.n.o. -----	<i>Eutettix tenellus</i> (Bak.)
Beet webworm a.n.o. -----	<i>Loxostege sticticalis</i> (L.)
Bella moth -----	<i>Utetheisa bella</i> L.
Birch leaf miner -----	<i>Fenusa pumila</i> Klug
Birch skeletonizer a.n.o. -----	<i>Bucculatrix canadensisella</i> Chamb.
Black blister beetle a.n.o. -----	<i>Epicauta pennsylvanica</i> (Deg.)
Black cherry aphid a.n.o. -----	<i>Myzus cerasi</i> (F.)
Black fungus beetle -----	<i>Alphitobius piceus</i> (Oliv.)
Black grain stem sawfly a.n.o. -----	<i>Trachelus tabidus</i> (F.)
Black pecan aphid a.n.o. -----	<i>Melanocallis caryaefoliae</i> (Davis)
Black scale a.n.o. -----	<i>Saissetia oleae</i> (Bern.)
Black vine weevil a.n.o. -----	<i>Brachyrhinus sulcatus</i> (F.)
Black widow spider a.n.o. -----	<i>Latrodectus mactans</i> (F.)
Bloodsucking conenose a.n.o. -----	<i>Triatoma sanguisuga</i> (Lec.)

Blunt-nosed leafhopper -----	<i>Euscelis striatulus</i> (Fall.)
Boll weevil a.n.o. -----	<i>Anthonomus grandis</i> Boh.
Bollworm a.n.o. -----	<i>Heliothis obsoleta</i> (F.)
Boxelder bug a.n.o. -----	<i>Leptocoris trivittatus</i> (Say)
Boxelder leaf roller a.n.o. -----	<i>Gracilaria negundella</i> Chamb.
Boxwood leaf miner a.n.o. -----	<i>Monarthropalpus buxi</i> Laboulb.
Bronzed birch borer a.n.o. -----	<i>Agrilus anxius</i> Gory
Brown dog tick a.n.o. -----	<i>Rhipicephalus sanguinius</i> Latr.
Brown salt-marsh mosquito a.n.o. -----	<i>Aedes cantator</i> (Coq.)
Brown spider beetle a.n.o. -----	<i>Ptinus brunneus</i> Duft.
Brown-tail moth a.n.o. -----	<i>Nygmia phaeorrhoea</i> (Donov.)
Buck moth a.n.o. -----	<i>Hemileuca maia</i> (Drury)
Buffalo treehopper a.n.o. -----	<i>Ceresa bubalus</i> (F.)
Bulb mite a.n.o. -----	<i>Rhizoglyphus hyacinthi</i> Bdv.
Cabbage aphid a.n.o. -----	<i>Brevicoryne brassicae</i> (L.)
Cabbage curculio a.n.o. -----	<i>Ceutorhynchus rapae</i> Gyll.
Cabbage looper a.n.o. -----	<i>Autographa brassicae</i> (Riley)
Cabbage maggot a.n.o. -----	<i>Hylemyia brassicae</i> (Bouche)
Cabbage webworm a.n.o. -----	<i>Hellula undalis</i> (F.)
California oak worm a.n.o. -----	<i>Phryganidia californica</i> Pack.
California red scale a.n.o. -----	<i>Chrysomphalus aurantii</i> (Mask.)
Camellia scale -----	<i>Lepidosaphes camelliae</i> Hoke
Carpenter worm a.n.o. -----	<i>Prionoxystus robiniae</i> (Peck)
Carpet beetle a.n.o. -----	<i>Anthrenus scrophulariae</i> (L.)
Carrot beetle a.n.o. -----	<i>Ligyrus gibbosus</i> (Deg.)
Carrot rust fly a.n.o. -----	<i>Psila rosae</i> (F.)
Carrot weevil a.n.o. -----	<i>Listronotus latiusculus</i> (Boh.)
Catalpa sphinx a.n.o. -----	<i>Ceratomia catalpae</i> (Bdv.)
Cecropia moth a.n.o. -----	<i>Platysamia cecropia</i> (L.)
Cedar bark beetle -----	<i>Phloeosinus dentatus</i> (Say)
Chaff scale a.n.o. -----	<i>Parlatoria pergandii</i> Comst.
Chain-spotted geometer a.n.o. -----	<i>Cingilia catenaria</i> (Drury)
Changa a.n.o. -----	<i>Scapteriscus vicinus</i> Scudd.
Cherry casebearer a.n.o. -----	<i>Coleophora pruniella</i> Clem.
Cherry fruitfly a.n.o. -----	<i>Rhagoletis cingulata</i> (Loew)
Cherry fruitworm a.n.o. -----	<i>Grapholitha packardi</i> Zell.
Cherry leaf beetle a.n.o. -----	<i>Galerucella cavicollis</i> (Lec.)
Chigger a.n.o. -----	<i>Trombicula irritans</i> (Riley)
Chinch bug a.n.o. -----	<i>Blissus leucopterus</i> (Say)
Chrysanthemum leaf miner a.n.o. -----	<i>Phytomyza chrysanthemi</i> (Kowarz)
Cigarette beetle a.n.o. -----	<i>Lasioderma serricorne</i> (F.)
Citrus mealybug a.n.o. -----	<i>Pseudococcus citri</i> (Risso)
Citrus red mite a.n.o. -----	<i>Paratetranychus citri</i> McG.
Citrus rust mite a.n.o. -----	<i>Phyllocoptes oleivorus</i> Ashm.
Citrus thrips a.n.o. -----	<i>Scirtothrips citri</i> (Moult.)
Citrus whitefly a.n.o. -----	<i>Dialeurodes citri</i> Ashm.
Cloudless sulphur -----	<i>Catopsilia eubule</i> L.
Clover leaf weevil a.n.o. -----	<i>Hypera punctata</i> (F.)
Clover mite a.n.o. -----	<i>Bryobia praetiosa</i> Koch
Clover root borer a.n.o. -----	<i>Hylastinus obscurus</i> (Marshall)
Cluster fly a.n.o. -----	<i>Pollenia rudis</i> (F.)
Codling moth a.n.o. -----	<i>Carpocapsa pomonella</i> L.
Colorado potato beetle a.n.o. -----	<i>Leptinotarsa decemlineata</i> (Say)

Common red spider a.n.o. -----	<i>Tetranychus telarius</i> (L.)
Convergent ladybeetle a.n.o. -----	<i>Hippodamia convergens</i> Guer.
Corn ear worm a.n.o. -----	<i>Heliothis obsoleta</i> (F.)
Corn flea beetle a.n.o. -----	<i>Chaetocnema pulicaria</i> Melsh.
Corn lantern fly -----	<i>Peregrinus maidis</i> (Ashm.)
Corn leaf aphid a.n.o. -----	<i>Aphis maidis</i> Fitch
Corn root webworm a.n.o. -----	<i>Crambus caliginosellus</i> Clem.
Corn root worm a.n.o. -----	<i>Diabrotica longicornis</i> (Say)
Corn sap beetle a.n.o. -----	<i>Carpophilus dimidiatus</i> (F.)
Cotton aphid a.n.o. -----	<i>Aphis gossypii</i> Glov.
Cotton blister mite a.n.o. -----	<i>Eriophyes gossypii</i> Banks
Cotton flea hopper a.n.o. -----	<i>Psallus seriatus</i> (Reut.)
Cotton leaf perforator a.n.o. -----	<i>Bucculatrix thurberiella</i> Busck
Cotton leaf worm a.n.o. -----	<i>Alabama argillacea</i> (Hbn.)
Cottony-cushion scale a.n.o. -----	<i>Icerya purchasi</i> Mask.
Cottony maple scale a.n.o. -----	<i>Pulvinaria vitis</i> (L.)
Cottony pine scale -----	<i>Pseudophilippa quaintancii</i> Ckll.
Coulee cricket a.n.o. -----	<i>Peranabrus scabricollis</i> (Thos.)
Cowpea curculio a.n.o. -----	<i>Chalcodermus aeneus</i> Boh.
Cowpea weevil a.n.o. -----	<i>Callosobruchus maculatus</i> (F.)
Cranberry fruitworm a.n.o. -----	<i>Mineola vaccinii</i> (Riley)
Crapemyrtle aphid a.n.o. -----	<i>Myzocallis kahawaluokalani</i> Kirk.
Cuban-laurel thrips a.n.o. -----	<i>Gynaikothrips uzeli</i> (Zimm.)
Currant stem girdler a.n.o. -----	<i>Janus integer</i> (Nort.)
Cyclamen mite a.n.o. -----	<i>Tarsonemus pallidus</i> Banks
Deer botfly -----	<i>Cephenomyia pratti</i> Hunter
Deodar weevil a.n.o. -----	<i>Pissodes nemorensis</i> Germ.
Desert corn flea beetle a.n.o. -----	<i>Chaetocnema ectypa</i> Horn
Diamondback moth a.n.o. -----	<i>Plutella maculipennis</i> (Curt.)
Dog flea a.n.o. -----	<i>Otenocephalides canis</i> (Curt.)
Dogwood club gall -----	<i>Lasioptera clavula</i> Beutm.
Douglas fir caterpillar -----	<i>Euschausia argentata</i> Pack.
Dried fruit beetle a.n.o. -----	<i>Carpophilus hemipterus</i> (L.)
Dried fruit moth a.n.o. -----	<i>Vitula serratilineella</i> Rag.
Ear tick a.n.o. -----	<i>Ornithodoros megnini</i> Duges
Eastern lubber grasshopper a.n.o. ----	<i>Romalea microptera</i> (Beauv.)
Eastern spruce beetle a.n.o. -----	<i>Dendroctonus piceaperda</i> Hopk.
Eastern tent caterpillar a.n.o. ----	<i>Malacosoma americana</i> (F.)
Eggplant lacebug a.n.o. -----	<i>Gargaphia solani</i> Heid.
Eggplant tortoise beetle -----	<i>Gratiana pallidula</i> (Boh.)
Elm bud gall -----	<i>Dasyneura ulmea</i> Felt
Elm bud midge -----	<i>Phytophaga ulmi</i> Beutm.
Elm cockscomb gall a.n.o. -----	<i>Colopha ulmicola</i> (Fitch)
Elm leaf beetle a.n.o. -----	<i>Galerucella xanthomelaena</i> (Schr.)
Euonymus scale a.n.o. -----	<i>Chionaspis euonymi</i> Comst.
European corn borer a.n.o. -----	<i>Pyrausta nubilalis</i> (Hbn.)
European earwig a.n.o. -----	<i>Forficula auricularia</i> L.
European elm scale a.n.o. -----	<i>Gossyparia spuria</i> (Mod.)
European fruit lecanium a.n.o. -----	<i>Lecanium corni</i> Bouche
European honeysuckle leaf roller -----	<i>Cerostoma xylostella</i> L.
European pine shoot moth a.n.o. -----	<i>Rhyacionia bouliana</i> (Schiff.)
European red mite a.n.o. -----	<i>Paratetranychus pilosus</i> (C. & F.)

European spruce sawfly a.n.o. -----	Diprion polytomum (Htg.)
European wheat midge -----	Thecodiplosis mosellana Gehin
European wheat stem sawfly a.n.o. ---	Cephus pygmaeus (L.)
European willow leaf beetle -----	Plagioderia versicolora Laich.
Eye-spotted budmoth a.n.o. -----	Spilonota ocellana (D. & S.)
Fall armyworm a.n.o. -----	Laphygma frugiperda (S. & A.)
Fall cankerworm a.n.o. -----	Alsophila pometaria (Harr.)
Fall webworm a.n.o. -----	Hyphantria cunea (Drury)
False chinch bug a.n.o. -----	Nysius ericae (Schill.)
Fern scale a.n.o. -----	Hemichionaspis aspidistrae (Sign.)
Field cricket a.n.o. -----	Gryllus assimilis F.
Flatheaded apple tree borer a.n.o. --	Chrysobothris femorata (Oliv.)
Florida red scale a.n.o. -----	Chrysomphalus aonidum (L.)
Follicle mite -----	Demodex folliculorum Simon
Forest tent caterpillar a.n.o. -----	Malacosoma disstria Hbn.
Four-lined plant bug a.n.o. -----	Poecilocapsus lineatus (F.)
Four-spotted tree cricket a.n.o. ----	Oecanthus nigricornis quadripunctatus Beut.
Frosted scale -----	Lecanium pruinosum Coq.
Fruit tree leaf roller a.n.o. -----	Cacoecia argyrospila (Walk.)
Furniture carpet beetle -----	Anthrenus vorax Wthr.
Garden centipede a.n.o. -----	Scutigera immaculata (Newp.)
Garden flea hopper a.n.o. -----	Halticus citri (Ashm.)
Garden webworm a.n.o. -----	Loxostege similalis (Guen.)
Gladiolus thrips a.n.o. -----	Taeniothrips simplex Morison
Gloomy scale a.n.o. -----	Chrysomphalus tenebricosus (Comst.)
Golden tortoise beetle a.n.o. -----	Metritona bicolor (F.)
Gooseberry fruitworm a.n.o. -----	Zophodia grossulariae (Riley)
Granary weevil a.n.o. -----	Sitophilus granaria (L.)
Grape berry moth a.n.o. -----	Polychrosis viteana (Clem.)
Grape leaf folder a.n.o. -----	Desmia funeralis (Hbn.)
Grape leafhopper a.n.o. -----	Erythroneura comes (Say)
Grape plume moth a.n.o. -----	Oxyptilus periscelidactylus (Fitch)
Grape root borer a.n.o. -----	Paranthrene polistiformis (Harr.)
Grape root worm a.n.o. -----	Fidia viticida Walsh
Grape sawfly a.n.o. -----	Erythraspides pygmaea (Say)
Grape tomato gall -----	Lasiopteryx vitis O. S.
Great Basin wireworm a.n.o. -----	Ludius pruininus noxius Hyslop
Green bug a.n.o. -----	Toxoptera graminum Rond.
Green citrus aphid -----	Aphis spiraeicola Patch
Greenhouse leaf tier a.n.o. -----	Phlyctaenia rubigalis (Guen.)
Green June beetle a.n.o. -----	Cotinis nitida (L.)
Green peach aphid a.n.o. -----	Myzus persicae (Sulz.)
Green stinkbug a.n.o. -----	Acrosternum hilaris (Say)
Green-striped maple worm a.n.o. ----	Anisota rubicunda F.
Ground mealybug a.n.o. -----	Rhizococcus terrestris (Newst.)
Gulf coast fritillary -----	Dione vanillae L.
Gulf coast tick a.n.o. -----	Amblyomma maculatum Koch
Gypsy moth a.n.o. -----	Porthetia dispar (L.)
Hackberry bud gall -----	Pachypsylla gemma Riley
Hackberry butterfly -----	Chlorippe celtis Bdv. & Lec.
Hairy chinch bug a.n.o. -----	Blissus hirtus Montd.

Harlequin bug a.n.o. -----	Murgantia histrionica (Hahn)
Hawaiian beet webworm a.n.o. -----	Hymenia fascialis (Cram.)
Hemispherical scale a.n.o. -----	Saissetia hemisphaerica (Targ.)
Hemlock looper a.n.o. -----	Ellopiia fiscellaria Guen.
Hessian fly a.n.o. -----	Phytophaga destructor (Say)
Hickory nut curculio -----	Conotrachelus affinis Boh.
Hickory phylloxera -----	Phylloxera caryaecaulis Fitch
Hickory shuck worm a.n.o. -----	Laspeyresia caryana (Fitch)
Hide beetle a.n.o. -----	Dermestes vulpinus F.
Holly fireworm -----	Rhopobota naevana ilicifolia ^{Kearf.}
Hop aphid a.n.o. -----	Phorodon humuli (Schr.)
Hornfly a.n.o. -----	Haematobia irritans L.
Horse botfly a.n.o. -----	Gastrophilus intestinalis Deg.
House cricket a.n.o. -----	Gryllus domesticus L.
Human flea a.n.o. -----	Pulex irritans L.
Imbricated snout beetle a.n.o. -----	Epicaerus imbricatus (Say)
Imported cabbage worm a.n.o. -----	Ascia rapae (L.)
Imported currant worm a.n.o. -----	Pteronidea ribesii (Scop.)
Indian-meal moth a.n.o. -----	Plodia interpunctella (Hbn.)
Japanese beetle a.n.o. -----	Popillia japonica Newm.
Juniper webworm -----	Dichomeris marginellus F.
Larch casebearer a.n.o. -----	Coleophora laricella Hbn.
Larch sawfly a.n.o. -----	Lygaeonematus erichsonii (Htg.)
Larder beetle a.n.o. -----	Dermestes lardarius L.
Leaf crumpler a.n.o. -----	Mineola indigenella (Zell.)
Leaf-footed bug a.n.o. -----	Leptoglossus phyllopus (L.)
Leopard moth a.n.o. -----	Zeuzera pyrina (L.)
Lesser apple worm a.n.o. -----	Laspeyresia prunivora (Walsh)
Lesser cornstalk borer a.n.o. -----	Elasmopalpus lignosellus (Zell.)
Lesser peach borer a.n.o. -----	Synanthedon pictipes (G. & R.)
Lilac borer a.n.o. -----	Podosesia syringae (Harr.)
Lilac leaf miner a.n.o. -----	Gracilaria syringella F.
Lima bean pod borer a.n.o. -----	Etiella zinckenella (Treit.)
Lima bean vine borer a.n.o. -----	Monoptilota pergratialis (Hulst)
Lime-tree looper a.n.o. -----	Erannis tiliaria (Harr.)
Linden borer a.n.o. -----	Saperda vestita Say
Linden wart gall -----	Cecidomyia verrucicola O.S.
Locust borer a.n.o. -----	Cyllene robiniae (Forst.)
Locust mite -----	Eutrombidium trigonum Hermann
Locust twig borer -----	Ecdytolopha insiticiiana Zell.
Lone star tick a.n.o. -----	Amblyomma americanum (L.)
Magnolia scale a.n.o. -----	Neolecanium cornuparvum (Thro)
Meadow plant bug a.n.o. -----	Miris dolabratus (L.)
Melon aphid a.n.o. -----	Aphis gossypii Glov.
Melonworm a.n.o. -----	Diaphania hyalinata (L.)
Mexican bean beetle a.n.o. -----	Epilachna varivestis Muls.
Mexican mealybug a.n.o. -----	Phenacoccus gossypii Towns. & Ckll.
Mint flea beetle -----	Longitarsus waterhousei Kutsch
Monarch butterfly a.n.o. -----	Danaus menippe (Hbn.)
Mormon cricket a.n.o. -----	Anabrus simplex Hald.

Mountain ash sawfly -----	<i>Pristiphora geniculata</i> Htg.
Mourning-cloak butterfly a.n.o. -----	<i>Hamadryas antiopa</i> (L.)
Nantucket pine shoot moth -----	<i>Rhyacionia frustrana</i> Comst.
Navel orange worm a.n.o. -----	<i>Myelois venipars</i> Dyar
New York weevil a.n.o. -----	<i>Ithycerus noveboracensis</i> (Forst.)
Northern mole cricket a.n.o. -----	<i>Gryllotalpa hexadactyla</i> Perty
Nuttall's blister beetle a.n.o. -----	<i>Lytta nuttalli</i> Say
Oak pill gall -----	<i>Cincticornia pilulae</i> Walsh
Oak spangle gall -----	<i>Cecidomyia poculum</i> O.S.
Oblique-banded leaf roller a.n.o. -----	<i>Cacoecia rosaceana</i> (Harr.)
Obscure scale a.n.o. -----	<i>Chrysomphalus obscurus</i> (Comst.)
Oleander caterpillar -----	<i>Syntomeida epilais</i> Walk.
Oleander scale a.n.o. -----	<i>Aspidiotus hederæ</i> (Vallot)
Olive scale -----	<i>Parlatoria oleæ</i> Colv.
Onion maggot a.n.o. -----	<i>Hylemyia antiqua</i> Meig.
Onion thrips a.n.o. -----	<i>Thrips tabaci</i> Lind.
Orange tortrix a.n.o. -----	<i>Argyrotaenia citrana</i> (Fern.)
Oriental fruit moth a.n.o. -----	<i>Grapholitha molesta</i> Busck
Oystershell scale a.n.o. -----	<i>Lepidosaphes ulmi</i> (L.)
Pacific coast wireworm a.n.o. -----	<i>Limonius canus</i> Lec.
Pale-striped flea beetle a.n.o. -----	<i>Systema blanda</i> Melsh.
Pale western cutworm a.n.o. -----	<i>Porosagrotis orthogonia</i> (Morr.)
Pales weevil a.n.o. -----	<i>Hylobius pales</i> (Hbst.)
Pea aphid a.n.o. -----	<i>Illinoia pisi</i> (Kltb.)
Pea moth a.n.o. -----	<i>Laspeyresia nigricana</i> (Steph.)
Pea weevil a.n.o. -----	<i>Bruchus pisorum</i> (L.)
Peach borer a.n.o. -----	<i>Conopia exitiosa</i> (Say)
Peach twig borer a.n.o. -----	<i>Anarsia lineatella</i> Zell.
Pear midge a.n.o. -----	<i>Contarinia pyrivora</i> (Riley)
Pear psylla a.n.o. -----	<i>Psyllia pyricola</i> (Foerst.)
Pear thrips a.n.o. -----	<i>Taeniothrips inconsequens</i> (Uzel)
Pecan leaf casebearer a.n.o. -----	<i>Acrobasis juglandis</i> (LeB.)
Pecan nut casebearer a.n.o. -----	<i>Acrobasis caryæ</i> Grote
Pecan weevil a.n.o. -----	<i>Curculio caryæ</i> (Horn)
Pepper maggot -----	<i>Zonosemata electa</i> Say
Pepper weevil a.n.o. -----	<i>Anthonomus eugenii</i> Cano
Periodical cicada a.n.o. -----	<i>Magicicada septendecim</i> (L.)
Phlox bug -----	<i>Lopidea davisii</i> Knight
Pickleworm a.n.o. -----	<i>Diaphania nitidalis</i> (Stoll)
Pigeon tremex a.n.o. -----	<i>Tremex columba</i> (L.)
Pine bark aphid a.n.o. -----	<i>Pineus strobi</i> Htg.
Pine needle scale a.n.o. -----	<i>Chionaspis pinifoliae</i> (Fitch)
Pink bollworm a.n.o. -----	<i>Pectinophora gossypiella</i> (Saund.)
Pitch-mass borer -----	<i>Parharmonia pini</i> Kellicott
Plum curculio a.n.o. -----	<i>Conotrachelus nemuphar</i> (Hbst.)
Polka-dot wasp moth -----	<i>Syntomeida epialis</i> Walk.
Poplar and willow borer a.n.o. -----	<i>Cryptorhynchus lapathi</i> (L.)
Poplar leaf beetle -----	<i>Phytodecta pallida</i> L.
Poplar sawfly -----	<i>Trichiocampus viminalis</i> Fall.
Poplar vagabond aphid a.n.o. -----	<i>Mordwilkoja vagabunda</i> (Walsh)
Potato aphid a.n.o. -----	<i>Illinoia solanifolii</i> (Ashm.)

Potato flea beetle a.n.o. -----	<i>Epitrix cucumeris</i> Harr.
Potato leafhopper a.n.o. -----	<i>Empoasca fabae</i> (Harr.)
Potato psyllid -----	<i>Paratrioza cockerelli</i> Sulc.
Potato tuber worm a.n.o. -----	<i>Gnorimoschema operculella</i> (Zell.)
Purple scale a.n.o. -----	<i>Lepidosaphes beckii</i> (Newm.)
Puss caterpillar a.n.o. -----	<i>Megalopyge opercularis</i> S. & A.
Putnam's scale a.n.o. -----	<i>Apsidiotus ancylus</i> (Putn.)
Quince curculio a.n.o. -----	<i>Conotrachelus crataegi</i> Walsh
Raisin moth a.n.o. -----	<i>Ephestia figulilella</i> Greg.
Raspberry cane borer a.n.o. -----	<i>Oberea bimaculata</i> (Oliv.)
Raspberry fruitworm a.n.o. -----	<i>Eyturus unicolor</i> Say
Raspberry root borer a.n.o. -----	<i>Bembicia marginata</i> (Harr.)
Raspberry sawfly a.n.o. -----	<i>Monophadnoides rubi</i> (Harr.)
Red-banded leaf roller a.n.o. -----	<i>Argyrotaenia velutinana</i> Walk.
Red-humped caterpillar a.n.o. -----	<i>Schizura concinna</i> (S. & A.)
Red-legged flea beetle a.n.o. -----	<i>Derocrepis erythropus</i> (Melsh.)
Red-necked cane borer a.n.o. -----	<i>Agrilus ruficollis</i> (F.)
Red turnip beetle a.n.o. -----	<i>Entomoscelis adonidis</i> (Pallas)
Rhododendron lacebug a.n.o. -----	<i>Stephanitis rhododendri</i> Horv.
Rhododendron whitefly -----	<i>Dialeurodes chittendeni</i> Laing
Rhubarb curculio a.n.o. -----	<i>Lixus concavus</i> Say
Rice weevil a.n.o. -----	<i>Sitophilus oryzae</i> (L.)
Rocky Mountain spotted-fever tick -----	<i>Dermacentor andersoni</i> Stiles
Rose chafer a.n.o. -----	<i>Macrodactylus subspinosus</i> (F.)
Rose curculio a.n.o. -----	<i>Rhynchites bicolor</i> (F.)
Rose leaf beetle a.n.o. -----	<i>Nodonota puncticollis</i> Say
Rose midge a.n.o. -----	<i>Dasyneura rhodophaga</i> (Coq.)
Rose sawfly a.n.o. -----	<i>Caliroa aethiops</i> (F.)
Rosy apple aphid a.n.o. -----	<i>Auraphis roseus</i> (Baker)
Roundheaded apple tree borer a.n.o. -----	<i>Saperda candida</i> F.
Royal palm bug -----	<i>Xylastodoris luteolus</i> Barber
Rusty plum aphid a.n.o. -----	<i>Hysteroneura setariae</i> (Thos.)
Saddleback caterpillar a.n.o. -----	<i>Sibine stimulea</i> (Clem.)
Salt-marsh caterpillar a.n.o. -----	<i>Estigmene acraea</i> (Drury)
Sand wireworm a.n.o. -----	<i>Horistonotus uhlerii</i> Horn
San Jose scale a.n.o. -----	<i>Aspidiotus perniciosus</i> Comst.
Satin moth a.n.o. -----	<i>Stilpnotia salicis</i> (L.)
Saw-toothed grain beetle a.n.o. -----	<i>Oryzaephilus surinamensis</i> (L.)
Say's blister beetle a.n.o. -----	<i>Pomphopoea sayi</i> Lec.
Say's stinkbug a.n.o. -----	<i>Chlorochroa sayi</i> Stal
Scotch pine scale -----	<i>Toumeyella numismaticus</i> Pettit & McDaniel
Screwworm a.n.o. -----	<i>Cochliomyia americana</i> C. & P.
Seed-corn maggot a.n.o. -----	<i>Hylemyia cilicrura</i> Rond.
Sheep ked -----	<i>Melophagus ovinus</i> L.
Short-nosed cattle louse a.n.o. -----	<i>Haematopinus eurysternus</i> Nitz.
Shot-hole borer a.n.o. -----	<i>Scolytus rugulosus</i> Ratz.
Silverfish a.n.o. -----	<i>Lepisma saccharina</i> L.
Six-spotted mite a.n.o. -----	<i>Tetranychus sexmaculatus</i> Riley
Smaller European elm bark beetle a.n.o. ---	<i>Scolytus multistriatus</i> Marsham
Snowy tree cricket a.n.o. -----	<i>Oecanthus niveus</i> (Deg.)
Southern armyworm a.n.o. -----	<i>Prodenia eridania</i> (Cram.)

Southern beet webworm a.n.o. -----	<i>Pachyzancla bipunctalis</i> (F.)
Southern cabbage worm a.n.o. -----	<i>Ascia protodice</i> (Bdv. & Lec.)
Southern corn leaf beetle -----	<i>Myochrous denticollis</i> Say
Southern green stinkbug a.n.o. -----	<i>Nezara viridula</i> (L.)
Southern mole cricket a.n.o. -----	<i>Scapteriscus acletus</i> R. & H.
Southern pine beetle a.n.o. -----	<i>Dendroctonus frontalis</i> Zimm.
Southwestern corn borer a.n.o. -----	<i>Diatraea grandiosella</i> Dyar
Spinach leaf miner a.n.o. -----	<i>Pegomyia hyoscyami</i> Panz
Spindleworm -----	<i>Achatodes zeae</i> Harr.
Spirea aphid -----	<i>Aphis spiraeicola</i> Patch
Spotted cucumber beetle a.n.o. -----	<i>Diabrotica duodecimpunctata</i> (F.)
Spring cankerworm a.n.o. -----	<i>Paleacrita vernata</i> (Peck)
Spruce budworm a.n.o. -----	<i>Cacoecia fumiferana</i> (Clem.)
Spruce gall aphid -----	<i>Chermes abietis</i> L.
Spruce mite -----	<i>Paratetranychus uniunguis</i> Jacobi
Squash beetle a.n.o. -----	<i>Epilachna borealis</i> (F.)
Squash borer a.n.o. -----	<i>Melittia satyriniformis</i> Hbn.
Squash bug a.n.o. -----	<i>Anasa tristis</i> (Deg.)
Stablefly a.n.o. -----	<i>Stomoxys calcitrans</i> (L.)
Stalk borer a.n.o. -----	<i>Papaipema nebris nitela</i> (Guen.)
Strawberry leaf roller a.n.o. -----	<i>Ancyliis comptana</i> (Froel.)
Strawberry root aphid a.n.o. -----	<i>Aphis forbesi</i> Weed
Strawberry weevil a.n.o. -----	<i>Anthonomus signatus</i> Say
Striped blister beetle a.n.o. -----	<i>Epicauta vittata</i> F.
Striped cucumber beetle a.n.o. -----	<i>Diabrotica vittata</i> (F.)
Striped flea beetle a.n.o. -----	<i>Phyllotreta vittata</i> (F.)
Suckfly a.n.o. -----	<i>Dicyphus minimus</i> Uhl.
Sugar beet wireworm a.n.o. -----	<i>Limonius californicus</i> (Mann.)
Sugarcane beetle a.n.o. -----	<i>Eutheola rugiceps</i> (Lec.)
Sugarcane borer a.n.o. -----	<i>Diatraea saccharalis</i> (F.)
Sugarcane rootstock weevil -----	<i>Anacentrinus subnudus</i> Buchanan
Sunflower beetle a.n.o. -----	<i>Zygogramma exclamationis</i> (F.)
Sunflower weevil -----	<i>Rhodaenus tredecimpunctatus</i> Ill.
Sweetpotato sawfly -----	<i>Sterictophora cellularis</i> Say
Sweetpotato weevil a.n.o. -----	<i>Cylas formicarius</i> (F.)
Sycamore lacebug -----	<i>Corythucha ciliata</i> Say
Sycamore scale -----	<i>Stomacoccus platani</i> Ferris
Tarnished plant bug a.n.o. -----	<i>Lygus pratensis</i> (L.)
Tea scale -----	<i>Fiorinia theae</i> Green
Terrapin scale a.n.o. -----	<i>Lecanium nigrofasciatum</i> Perg.
Three-lined potato beetle a.n.o. -----	<i>Lema trilineata</i> (Oliv.)
Thurberia weevil a.n.o. -----	<i>Anthonomus grandis thurberiae</i> Pierce
Tobacco budworm a.n.o. -----	<i>Heliothis virescens</i> (F.)
Tobacco flea beetle a.n.o. -----	<i>Epitrix parvula</i> (F.)
Tomato pinworm a.n.o. -----	<i>Gnorimoschema lycopersicella</i> (Busck)
Tomato stiltbug -----	<i>Jalysus spinosus</i> Say
Tomato worm a.n.o. -----	<i>Protoparce sexta</i> (Johan.)
Tropical rat mite a.n.o. -----	<i>Liponyssus bacoti</i> (Hirst)
Tuliptree scale a.n.o. -----	<i>Toumeyella liriodendri</i> (Gmel.)
Turnip aphid a.n.o. -----	<i>Rhopalosiphum pseudobrassicae</i> (Davis)
Twice-stabbed ladybeetle a.n.o. -----	<i>Chilocorus bivulnerus</i> Muls.
Twig girdler a.n.o. -----	<i>Oncideres cingulatus</i> (Say)
Twig pruner a.n.o. -----	<i>Hypermallus villosus</i> (F.)
Two-lined chestnut borer a.n.o. -----	<i>Agrilus bilineatus</i> (Web.)

Two-marked treehopper -----	<i>Enchenopa binotata</i> Say
Ugly nest caterpillar a.n.o. -----	<i>Cacoecia cerasivorana</i> (Fitch)
Varied carpet beetle a.n.o. -----	<i>Anthrenus verbasci</i> (L.)
Variegated cutworm a.n.o. -----	<i>Lycophotia margaritosa saucia</i> Hbn.
Vedalia a.n.o. -----	<i>Modolia cardinalis</i> (Muls.)
Vegetable weevil a.n.o. -----	<i>Listroderes obliquus</i> Klug
Velvetbean caterpillar a.n.o. -----	<i>Anticarsia gemmatilis</i> (Hbn.)
Vetch bruchid a.n.o. -----	<i>Bruchus brachialis</i> Fahraeus
Walnut caterpillar a.n.o. -----	<i>Datana integerrima</i> G. & R.
Waterlily leaf beetle -----	<i>Galerucella nymphaeae</i> L.
Webbing clothes moth a.n.o. -----	<i>Tineola biselliella</i> (Hum.)
Western cabbage flea beetle -----	<i>Phyllotreta pusilla</i> Horn
Western chinch bug a.n.o. -----	<i>Blissus occiduus</i> Barber
Western field wireworm a.n.o. -----	<i>Limonius infuscatus</i> Mots.
Western grape skeletonizer a.n.o. -----	<i>Harrisina brillians</i> B. & McD.
Western potato flea beetle a.n.o. -----	<i>Epitrix subcrinita</i> Lec.
Western spotted cucumber beetle a.n.o. ---	<i>Diabrotica soror</i> Lec.
Wheat jointworm a.n.o. -----	<i>Harmolita tritici</i> (Fitch)
Wheat midge a.n.o. -----	<i>Contarinia tritici</i> (Kby.)
Wheat stem maggot a.n.o. -----	<i>Meromyza americana</i> Fitch
Wheat stem sawfly a.n.o. -----	<i>Cephus cinctus</i> Nort.
White-marked tussock moth a.n.o. -----	<i>Hemerocampa leucostigma</i> (S. & A.)
White peach scale a.n.o. -----	<i>Aulacaspis pentagona</i> (Targ.)
White-pine aphid -----	<i>Cinara strobi</i> Fitch
White-pine weevil a.n.o. -----	<i>Pissodes strobi</i> (Peck)
Willow sawfly a.n.o. -----	<i>Pteronidea ventralis</i> (Say)
Woolly beech aphid -----	<i>Phyllaphis fagi</i> L.
Woolly elm aphid a.n.o. -----	<i>Eriosoma americanum</i> Riley
Yellow-headed spruce sawfly a.n.o. -----	<i>Pachynematus ocreatus</i> Hgtn.
Yellow woolly bear a.n.o. -----	<i>Diacrisia virginica</i> (F.)
Zebra caterpillar a.n.o. -----	<i>Manestra picta</i> Harr.

UNIVERSITY OF FLORIDA



3 1262 09244 6904